



The First in Synthetics®

COMMERCIAL PRICE LIST AUTOMOTIVE AND LUBRICATING PRODUCTS

(UNITED STATES ONLY)

VERSION EFFECTIVE OCTOBER 1, 2007



New
Product Codes &
Ordering Notes
- See Page 31 for
More Details.

PRODUCT INDEX

- Ordering Informationp. 2
- Product Lookup by Code .p. 2
- Motor Oilsp. 3-5
- Power Sports 4-Stroke Oils .p. 5-6
- Motorcycle Oilsp. 6
- Suspension Fluidsp. 6
- Diesel Oilsp. 7-8
- Gear Lubesp. 8-9
- Transmission Fluidsp. 9-11
- Two-Cycle Oilsp. 11-12
- Greasesp. 13
- Hydraulic Oilsp. 14-15
- Compressor Oilsp. 15
- Air Filtersp. 16-17
- Filter Wrenchesp. 17
- Oil Filtersp. 18
- Motorcycle Filtersp. 18-19
- TWIN AIR Air Filtersp. 19
- Power Core Air Filters . . .p. 19
- By-Pass Filtration Units .p. 20
- AMS-Oiler Pre-Chargers .p. 20
- By-Pass Replacement Parts .p. 21
- Oil Analysisp. 21
- Fuel Additivesp. 22
- Cleaners and Protectants . .p. 23-24
- Miscellaneous Products . .p.25
- MOTHER'S Information . .p. 26
- TRICO Informationp. 26
- NGK Informationp. 26
- Sales Tax Information . . .p. 27-28
- Freight &
Handling Informationp. 28-30
- Ordering Instructionsp. 31
- Return & Exchange
Policiesp. 32

The Leader in Automotive & Diesel Performance Products

- Synthetic Motor Oils • Synthetic DriveTrain Fluids • Oil & Air Filters
- Fuel Additives • Appearance Products

- ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE -

Ordering Information

Fill in this information for your reference:

Your AMSOIL Servicing Dealer:

Name _____

Address _____

City _____

State _____ Zip Code _____

Phone (_____) _____

Your AMSOIL Account # _____ C

Your AMSOIL Distribution Center:

Address _____

City _____

State _____ Zip Code _____

Phone (_____) _____

TOLL FREE ORDERING:

Orders Only Telephone Number: 1-800-777-7094

**Hours of Operation: 7 am to 5 pm Central Time
Monday through Friday
Except for Statutory Holidays**

Fax Orders to: 715-392-5225 or 715-392-5267

Faxes Accepted 24 Hours a Day, 7 Days a Week

ORDER PRODUCT ONLINE AT www.amsoil.com - page 23.

FREIGHT DISCOUNTS:

See page 28 for details on saving from 50% to 100% of your freight charges on AMSOIL orders!

This freight schedule applies on shipments to any point in the contiguous United States on products stocked in Regional Distribution Centers.

You may include specific routing instructions with your order. However, because AMSOIL INC. will utilize the most economical method of transportation, the final decision on routing pre-paid freight orders rest with the Distribution Center Manager.

If you need a specific routing guarantee for common carrier shipments, specify that your order be shipped "Freight Collect." However, UPS and Parcel Post shipments cannot be shipped "Freight Collect."

Third party billing is allowed. When third party billing is requested, the UPS account number of the third party must be supplied at the time of order placement.

Orders shipped to military post offices will be charged actual Parcel Post Freight.

U.S. AMSOIL Commercial / Retail Freight Rates

Weight, lbs.	Price
Under 3	\$6.50
3 - 6.9	\$7.25
7 - 13.9	\$8.10
14 - 23.9	\$8.95
24 - 39.9	\$0.37 per lb.
40 - 59.9	\$0.33 per lb.
60 - 99.9	\$0.28 per lb.
100 - 249.9	\$0.27 per lb.
250 - 499.9	\$0.24 per lb.
500 - 1000	\$0.21 per lb.
Over 1000	\$0.18 per lb.

ALASKA FREIGHT SURCHARGE:

For purchases made from the Distribution Center in Alaska, add 7.5% to the Account Cost for extra freight expenses from the continental U.S. to Alaska.

AMSOIL PRODUCT LOOKUP BY CODE

Code	Page	Code	Page
ABC	12	EaA	16
ACB	22	EaAB	16
ACD	8	EaAM	18
ADA	9	EaAR	17
ADF	22	EaAU	17
AEF	23	EaO	18
AFF	5	EaOM	19
AFL	4	EaPF	17
AGL	9	FGO	8
AGM	9	FGR	8
AHF	22	FOG	23
AHR	4	GFW	14
AIT	11	GHB	13
ALS	23	GHD	13
AME	7	GLA	13
AMH	23	GLB	13
AMK	20	GLC	13
AMO	5	GRG	13
AMP	23	GSF	14
AMW	24	GVC	14
ANG	6	GWR	14
ANT	23	GXC	14
AOB	22	HDD	7
APF	23	HPI	11
API	22	MCF	6
ARO	5	MCV	6
ARS	24	MTF	10
ART	10	MTG	10
ASE	5	PCF	19
ASL	4	PCH	15
ASM	4	PCI	15
ASO	6	PCJ	15
AST	22	PCK	15
ATD	10	PCL	15
ATF	9	PCO	7
ATG	21	POD	19
ATH	14	SEI	15
ATM	4	SMF	19
ATO	12	STL	6
ATP	12	STM	6
AWF	14	SVG	8
AWG	14	SVO	8
AWH	14	SVT	8
AWI	14	TBI	15
AWJ	14	TCC	12
BHP	24	TDR	11
BMK	20	TRO	3
BP PARTS	21	TSO	3
BSH	24	WCF	5
BT6	24	WCT	5
CTG	11	XLF	3
CTJ	11	XLM	3
CTL	11	XLO	3
DEO	7	XLT	3
DFE	22		

HAWAII ORDERING INFORMATION:

Call 1-800-777-7094. Your order will be shipped from the AMSOIL Distribution Center in Portland, OR. Your order will be shipped freight collect by the best possible method.

PURCHASE DISCOUNTS

Commercial Accounts are eligible for a purchase discount on their product orders. The discount is based on the total gross purchases (cumulative) during the previous twelve months or the order that you are placing, whichever is higher. This total is used to determine the discount.

PURCHASE DISCOUNT SCHEDULE

Total Account Cost Of your Order	Deduct This Amount From Your Account Cost
\$ 1000.00 to \$3,999.99	2%
\$4,000.00 to \$6,999.99	4%
\$7,000.00 to \$9,999.99	6%
\$10,000.00 to \$14,999.99	8%
\$15,000.00 or more	10%

Worldwide Performance Specifications:

- API SM/CF, SL . . .
- ILSAC GF-4, 3 . . .
- ACEA A5/B5



Series 2000 Synthetic 0W-30 Motor Oil

Race-Proven technology designed for passenger cars. Outperforms conventional and synthetic 30-weight motor oils. Ideal for hot and cold climates. Superior low temperature flow, fuel efficiency and wear protection. Recommended for all domestic and foreign vehicles requiring either 0W, 5W or 10W-30 motor oils.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Series 2000 Synthetic 0W-30 Motor Oil				
ISOQT	ea	(1) Quart Bottle	2.1	7.65
ISOQT	ca	Case of (12) Quarts	24.6	82.20
ISO1G	ea	(1) Gallon	7.9	29.70
ISO1G	ca	Case of (4) Gallons	31.7	106.60
ISO30		30 Gallon Drum*	242.0	719.00
ISO55		55 Gallon Drum*	437.0	1,285.00

Worldwide Performance Specifications:

- API SL/CF.
- ACEA A2/3, B2/3/4
- JASO MB & VTW



Series 2000 Synthetic 20W-50 Racing Oil

Engineered for high performance racing or street gasoline engines. Contains particular chemistry for high film strength. Reduces friction and provides up to four times the wear protection of conventional 50-weight motor oils.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Series 2000 Synthetic 20W-50 Racing Oil				
TROQT	ea	(1) Quart Bottle	2.1	7.50
TROQT	ca	Case of (12) Quarts	25.3	81.00
TRO1G	ea	(1) Gallon	8.1	29.55
TRO1G	ca	Case of (4) Gallons	32.4	105.20
TRO30		30 Gallon Drum*	246.0	711.00
TRO55		55 Gallon Drum*	445.0	1,276.00

Worldwide Performance Specifications:

- API SM/CF, SL . . .
- ILSAC GF-4, 3 . . .
- ACEA A1/B1



XL Synthetic Motor Oils

AMSOIL Extended Life Synthetic Motor Oils deliver exceptional protection for 7,500-mile/6-month oil change intervals or longer where stated by vehicle manufacturers or indicated by electronic oil life monitoring systems. They provide "Peace-of-Mind" for owners of modern vehicles where drain intervals exceed conventional oil recommendations of 3,000 miles.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
SAE 5W-20 XL Synthetic Motor Oil				
XLMQT	ea	(1) Quart Bottle	2.0	4.55
XLMQT	ca	Case of (12) Quarts	24.5	50.40
XLM1G	ea	(1) Gallon	7.8	17.85
XLM1G	ca	Case of (4) Gallons	31.3	66.40
XLM30		30 Gallon Drum*	241.1	445.00
XLM55		55 Gallon Drum*	432.6	796.00
XLM27		275 Gallon Tote*	2,062.0	3,930.00
SAE 5W-30 XL Synthetic Motor Oil				
XLFQT	ea	(1) Quart Bottle	2.0	4.55
XLFQT	ca	Case of (12) Quarts	24.4	50.40
XLF1G	ea	(1) Gallon	7.8	17.85
XLF1G	ca	Case of (4) Gallons	31.4	66.40
XLF30		30 Gallon Drum*	241.1	445.00
XLF55		55 Gallon Drum*	432.1	796.00
SAE 10W-30 XL Synthetic Motor Oil				
XLTQT	ea	(1) Quart Bottle	2.0	4.55
XLTQT	ca	Case of (12) Quarts	24.6	50.40
XLT1G	ea	(1) Gallon	7.8	17.85
XLT1G	ca	Case of (4) Gallons	31.4	66.40
XLT30		30 Gallon Drum*	241.1	445.00
XLT55		55 Gallon Drum*	432.4	796.00
SAE 10W-40 XL Synthetic Motor Oil				
XLOQT	ea	(1) Quart Bottle	2.0	4.55
XLOQT	ca	Case of (12) Quarts	24.3	50.40
XLO30		30 Gallon Drum*	239.0	445.00
XLO55		55 Gallon Drum*	429.0	796.00
XLO27		275 Gallon Tote*	2,073.0	3,930.00

SYNTHETIC MOTOR OILS

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

SYNTHETIC MOTOR OILS

- Worldwide Performance Specifications:**
- API SM/CF, SL . . .
 - ILSAC GF-4, 3 . . .
 - ACEA A5/B5

100% Synthetic Motor Oils

Engineered to outperform all conventional gasoline engine motor oils. Reduce heat, friction and wear for maximum power, performance and fuel efficiency. Clean engine formula. Resists high temperature break down that forms sludge and varnish. Lasts longer and offers better protection. Ideal for hot and cold climates. Recommended for all gasoline engines.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
SAE 0W-20 100% Synthetic Motor Oil				
ASMQT	ea	(1) Quart Bottle	2.0	6.05
ASMQT	ca	Case of (12) Quarts	24.5	64.20
ASM1G	ea	(1) Gallon	7.6	23.85
ASM1G	ca	Case of (4) Gallons	31.6	84.40
ASM30		30 Gallon Drum*	239.0	587.00
ASM55		55 Gallon Drum*	431.0	1,026.00

SAE 5W-30 100% Synthetic Motor Oil

ASLQT	ea	(1) Quart Bottle	2.0	5.80
ASLQT	ca	Case of (12) Quarts	24.5	61.20
ASL1G	ea	(1) Gallon	7.6	22.75
ASL1G	ca	Case of (4) Gallons	31.6	80.20
ASL30		30 Gallon Drum*	239.0	557.00
ASL55		55 Gallon Drum*	431.0	971.00
ASL27		275 Gallon Tote*	2,125.0	4,805.00

SAE 10W-30 100% Synthetic Motor Oil

ATMQT	ea	(1) Quart Bottle	2.1	5.80
ATMQT	ca	Case of (12) Quarts	24.7	61.20
ATM1G	ea	(1) Gallon	7.9	22.75
ATM1G	ca	Case of (4) Gallons	31.7	80.20
ATMTP	ea	(1) 2.5 Gallon Bottle	19.5	55.30
ATMTP	ca	Case of (2) 2.5 Gallons	39.0	98.30
ATM30		30 Gallon Drum*	239.0	557.00
ATM55		55 Gallon Drum*	432.0	971.00
ATM27		275 Gallon Tote*	2,102.0	4,805.00



Worldwide Performance Applications:

- API SM/CF
- ACEA C3-04, A3/B3-04, A3/B4-04
- MB 229.31, 229.51
- BMW LL-04
- Porsche
- Volvo
- Saab
- VW 502.00, 505.00, 505.01
- MS-10725

Synthetic 5W-40 European Engine Oil

Specially formulated for the lubrication needs of European gasoline and diesel cars and light trucks. Blended with a broad 5W-40 viscosity rating. Allows for the maximum extended drain intervals recommended while providing superior protection and performance. Recommended for Volkswagen 505.01 applications including Passat, Beetle, Jetta, Touareg, Phaeton, GTI, Golf and Audi A3, A4, A6, A8, S4/RS4, TT and Q7.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Synthetic 5W-40 European Engine Oil				
AFLQT	ea	(1) Quart Bottle	2.1	5.80
AFLQT	ca	Case of (12) Quarts	25.3	61.80
AFL30		30 Gallon Drum*	246.0	552.00
AFL55		55 Gallon Drum*	445.0	968.00



- Performance Specifications:**
- API SL/CF
 - JASO MA

Super Heavy Weight SAE 60 Racing Oil

High-viscosity oil designed for high horsepower racing engines, typically supercharged and alcohol-burning or nitro fueled, and requiring a high-viscosity oil to resist the thinning effects of fuel dilution. Also ideal for motorcycles where SAE 60 motor oil is required.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
SAE 60 Synthetic Heavy Racing Oil				
AHRQT	ea	(1) Quart Bottle	2.1	7.70
AHRQT	ca	Case of (12) Quarts	25.0	82.20
AHRTP	ea	(1) 2.5 Gallon Bottle	19.9	72.00
AHRTP	ca	Case of (2) 2.5 Gallons	39.7	126.80



* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

Performance Specifications:

- API SL/CF, CI-4+
- JASO VTW, MA
- Motorcycle Compatible



Synthetic Premium Protection Motor Oils

Formulated for use in both gasoline and diesel engines. Offer multi-functionality and excellent wear protection. Ideal for applications where the extra protection of a higher viscosity oil is desired. Excellent for motor homes and older vehicles, as well as many types of modern equipment. Also compatible for use in motorcycles.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
SAE 10W-40 Synthetic Premium Protection Motor Oil				
AMOQT	ea	(1) Quart Bottle	2.1	5.75
AMOQT	ca	Case of (12) Quarts	24.7	62.40
AMO1G	ea	(1) Gallon	8.0	22.75
AMO1G	ca	Case of (4) Gallons	31.8	82.00
AMOTP	ea	(1) 2.5 Gallon Bottle	19.5	55.30
AMOTP	ca	Case of (2) 2.5 Gallons	39.0	98.80
AMO30		30 Gallon Drum*	239.0	564.00
AMO55		55 Gallon Drum*	432.0	990.00

SAE 20W-50 Synthetic Premium Protection Motor Oil

AROQT	ea	(1) Quart Bottle	2.1	6.15
AROQT	ca	Case of (12) Quarts	25.1	66.00
ARO1G	ea	(1) Gallon	8.1	24.15
ARO1G	ca	Case of (4) Gallons	32.4	84.80
ARO16		16 Gallon Keg*	132.9	323.00
ARO30		30 Gallon Drum*	246.0	588.00
ARO55		55 Gallon Drum*	443.0	1,034.00
ARO27		275 Gallon Tote*	2,115.0	5,120.00

Performance Specifications:

- API SL/CF, SJ, SH, SG
- JASO MA/MA2



Formula 4-Stroke® Power Sports 0W-40

Specially formulated for four-stroke recreational motors, AIVs and snowmobiles. Reduces wear. Wet clutch compatible. Contains no friction modifiers. Broad viscosity range makes it excellent for use in both hot and cold weather conditions.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
SAE 0W-40 Formula 4-Stroke Synthetic Motor Oil				
AFFQT	ea	(1) Quart Bottle	2.0	6.45
AFFQT	ca	Case of (12) Quarts	24.4	69.00
AFF30		30 Gallon Drum*	242.0	623.00
AFF55		55 Gallon Drum*	434.0	1,100.00

Performance Specifications:

- API SL
- JASO MA/MA2
- NMMA - FC-W
- (10W-30 Certification #FB-30011B)
- (10W-40 Certification #FB-30010B)



Formula 4-Stroke® Marine Motor Oils

Formulated specifically for use in 4-stroke gasoline fueled engines used in marine applications. Offer unsurpassed wear protection, viscosity stability, low volatility and excellent rust protection. NMMA FC-W approved and "Warranty Certified". Recommended for use in 4-stroke outboard motors including Honda, Yamaha, Mercury, Suzuki, Johnson-Evinrude (BRP), Nissan and Tohatsu. Excellent for use in marine inboard engines including Mercury (MerCruiser), OMC, Volvo-Penta, Crusader, Marine Power, GM, Ford and Chrysler. Recommended for use with personal water craft (PWC) including Sea Doo (BRP), Honda, Yamaha and Polaris. Wet-clutch compatible.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
10W-30 Synthetic Formula 4-Stroke Marine Oil				
WCTQT	ea	(1) Quart Bottle	2.0	6.30
WCTQT	ca	Case of (12) Quarts	24.5	66.00
WCT55		55 Gallon Drum*	432.5	1,016.00
10W-40 Synthetic Formula 4-Stroke Marine Oil				
WCFQT	ea	(1) Quart Bottle	2.0	6.70
WCFQT	ca	Case of (12) Quarts	24.6	70.20
WCF55		55 Gallon Drum*	433.3	1,101.00

Performance Specifications:

- API SL, SJ, SH, SG... (Gasoline)
- API CF, CD (Diesel)
- JASO MA/MA2 (Motorcycle wet clutch)



Formula 4-Stroke® Synthetic 10W-30/SAE 30 Small Engine Oil

A commercial grade formulation designed for hot temperature, severe service operation of small engines where routine maintenance is often difficult or infrequent. Recommended for use wherever SAE 10W-30 or SAE 30 oil is specified in gasoline or diesel engines, transmissions, hydraulics, and chain cases requiring the listed specifications. Applications include maintenance equipment, tractors, lawn and garden equipment, generators, compactors, pumps, light towers, welders, log splitters, power washers, cement mixers and trowels, skid-steers, excavators and compressors.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Formula 4-Stroke® 10W-30/SAE 30 Small Engine Oil				
ASEQT	ea	(1) Quart Bottle	2.0	4.85
ASEQT	ca	Case of (12) Quarts	24.1	51.60
ASE30		30 Gallon Drum*	237.0	450.00
ASE55		55 Gallon Drum*	425.0	781.00

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

SYNTHETIC MOTORCYCLE OILS

- Performance Specifications:**
- API SG, SL/CF
 - JASO MA/MA2 (Motorcycle wet clutch)



Formula 4-Stroke® Synthetic 10W-40 Synthetic Scooter Oil

Formulated specifically to meet the special needs of today's high-tech air- and water-cooled fourstroke motorized scooters. Offers unsurpassed wear protection and friction reduction for longer equipment life and cooler operating temperatures. Exceptional shear stability ensures consistent viscosity protection and provides additional protection for transmissions and gear boxes. Friction modifier-free formulation ensures wet clutch compatibility and smooth clutch operation. A special anti-corrosion additive package provides long-term protection during periods of inactivity and storage.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Formula 4-Stroke® 10W-40 Synthetic Scooter Oil				
ASOQT	ea	(1) Quart Bottle	2.0	4.95
ASOQT	ca	Case of (12) Quarts	24.1	52.80

- Performance Specifications:**
- API SG, SL/CF
 - JASO MA/MA2
 - SAE 80W-90
 - API GL-1



10W-40 Advanced Synthetic Motorcycle Oil

For those who demand the best. Advanced multi-functional formula. Fulfills the requirements of both domestic and foreign motorcycles. Recommended for high performance liquid or air-cooled 4-stroke engines and transmissions and both 4- and 2-stroke motorcycles. Wet clutch compatible. Outstanding gear protection. Anti-rust fortified. Recommended for Honda, Kawasaki, Yamaha, Suzuki, BMW, Husqvarna and Victory motorcycles. Not recommended where an API-GL-4 or GL-5 gear oil is required.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
10W-40 Advanced Synthetic Motorcycle Engine Oil				
MCFQT	ea	(1) Quart Bottle	2.1	6.85
MCFQT	ca	Case of (12) Quarts	24.6	72.60
MCF1G	ea	(1) Gallon	8.0	25.80
MCF1G	ca	Case of (4) Gallons	31.8	91.00
MCF30		30 Gallon Drum*	242.1	636.00
MCF55		55 Gallon Drum*	434.2	1,122.00

- Performance Specifications:**
- API SG, SL/CF
 - JASO MA/MA2
 - SAE 90
 - API GL-1



20W-50 Advanced Synthetic Motorcycle Oil

For those who demand the best. Multi-functional, and fulfills the requirements of both domestic and foreign motorcycles. Excellent performance in air-cooled motorcycle engines due to high heat resistance, anti-wear additives and oxidation resistance. Recommended for engines, transmissions and the primary chaincase. Absolutely shear stable and will not thin out from mechanical activity. Contains special anti-rust agents for superior rust protection, and contains no friction modifiers for excellent wet clutch performance. Recommended for use in Harley-Davidson, Buell, KTM, Ducati, Aprilia, BMW and Triumph motorcycles. Not recommended where an API-GL-4 or GL-5 gear oil is required.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
20W-50 Advanced Synthetic Motorcycle Engine Oil				
MCVQT	ea	(1) Quart Bottle	2.1	7.00
MCVQT	ca	Case of (12) Quarts	24.7	74.40
MCV1G	ea	(1) Gallon	8.0	27.10
MCV1G	ca	Case of (4) Gallons	31.9	96.00
MCV30		30 Gallon Drum*	242.9	661.00
MCV55		55 Gallon Drum*	435.3	1,169.00

SUSPENSION FLUIDS



Suspension Fluids

Control friction, heat, wear, foaming and scuffing in suspension components. High viscosity index and shear stability performance control shock fade and inconsistent dampening in temperature extremes.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Shock Therapy Suspension Fluid #5 Light				
STLQT	ea	(1) Quart Bottle	1.9	7.70
STLQT	ca	Case of (12) Quarts	23.3	81.60
STL05		(1) 5 Gallon Pail	37.7	129.25
Shock Therapy Suspension Fluid #10 Medium				
STMQT	ea	(1) Quart Bottle	2.1	7.25
STMQT	ca	Case of (12) Quarts	24.6	76.80
STM05		(1) 5 Gallon Pail	38.1	123.00

NATURAL GAS ENGINE OIL

- Performance Specifications:**
- API CC

SAE (20W)-40 Synthetic Natural Gas Engine Oil

Low ash (< 0.5%). Resists oxidation and acids. Last longer. Can be used to safely extend drain intervals with oil analysis. Reduces oil consumption. Reduces valve recession. Flows well in cold temperatures. Low volatility.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
SAE (20W)-40 Synthetic Natural Gas Engine Oil				
ANG05		(1) 5 Gallon Pail†	39.2	107.75
ANG55		55 Gallon Drum*†	433.0	1,034.00

* Not stocked in all Distribution Centers. Call for availability.

† Not recommended for conventional gasoline motors.

- Worldwide Performance Applications:**
- API CI-4+/CF/CF-2, SL
 - Global DHD-1
 - ACEA A3/B3, E3, E5
 - JASO DH-1
 - Mack
 - Detroit Diesel
 - Caterpillar
 - Cummins
 - Volvo
 - Diamler-Benz



Series 3000 Synthetic 5W-30 Heavy-Duty Diesel Oil

Long service life oil. Engineered for pre-2007 diesel engines in on-road applications as well as all model year diesel engines in off-road applications. Also engineered for all gasoline engines recommending API SL specifications including turbo charged vehicles. Provides superior wear protection and fuel efficiency compared to conventional oils. Premium synthetic oils and additives with 12 TBN chemistry resists oil breakdown from heat, blow-by chemicals, acids and oxygen. Improves cold temperature starting.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
SERIES 3000 - SAE 5W-30 Synthetic Heavy Duty Diesel Oil				
HDDQT	ea	(1) Quart Bottle	2.1	7.65
HDDQT	ca	Case of (12) Quarts	24.8	82.20
HDD1G	ea	(1) Gallon	8.0	29.35
HDD1G	ca	Case of (4) Gallons	32.0	105.80
HDDTP	ea	(1) 2.5 Gallon Bottle	19.6	69.45
HDDTP	ca	Case of (2) 2.5 Gallons	39.2	123.90
HDD30		30 Gallon Drum*	243.0	704.00
HDD55		55 Gallon Drum*	439.0	1,263.00
HDD27		275 Gallon Tote*	2,118.9	6,265.00

- Worldwide Performance Applications:**
- API CJ-4/CI-4+/CF
 - API SM, SL, SJ...
 - ACEA E7
 - MACK EO-O Premium Plus
 - DDC Power Guard 93K218
 - Caterpillar ECF-3, ECF-1
 - Cummins CES 20081
 - Volvo VDS-4
 - MB 228.3
 - MTU Type II



Synthetic 5W-40 Premium Diesel Oil

The premium choice diesel oil for model year 2007 and newer heavy-duty and pickup truck diesel engines requiring API CJ-4 emission quality oil standards. It delivers extraordinary lubrication in diesel engines found in commercial, fleet and personal vehicles. Contains low sulfated ash, phosphorus and sulfur additives that exceed modern specifications for emission quality diesel oil. It is compatible with all exhaust treatment devices and is designed to extend the service life of particulate filters. Replaces 5W-40, 10W-40 and 15W-40 viscosity oils.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Synthetic 5W-40 Premium Diesel Oil				
DFOQT	ea	(1) Quart Bottle	2.1	5.75
DFOQT	ca	Case of (12) Quarts	24.6	59.40
DFO1G	ea	(1) Gallon	8.0	22.15
DFO1G	ca	Case of (4) Gallons	31.8	76.20
DFO30		30 Gallon Drum*	243.0	528.00
DFO55		55 Gallon Drum*	435.0	924.00
DFO27		275 Gallon Tote*	2,089.0	4,570.00

- Worldwide Performance Applications:**
- API CI-4+/CF/CF-2, SL
 - Global DHD-1
 - ACEA A3/B3, E3, E5
 - JASO DH-1
 - Mack
 - Detroit Diesel
 - Caterpillar
 - Cummins
 - Volvo
 - Diamler-Benz



Synthetic 15W-40 Heavy Duty Diesel Oils

Engineered for pre-2007 diesel engines in on-road applications as well as all model year diesel engines in off-road applications. High 12 TBN controls acids from combustion blow-by and EGR. High levels of detergency and dispersancy additives control soot thickening, oxidation and wear. Resists bore polishing, deposit formation and ring sticking. Provides clean engine performance. Extended drain capabilities reduce downtime and motor oil expenses.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
SAE 15W-40 Synthetic Heavy-Duty Diesel and Marine Motor Oil				
AMEQT	ea	(1) Quart Bottle	2.1	5.20
AMEQT	ca	Case of (12) Quarts	24.9	55.80
AME1G	ea	(1) Gallon	8.0	20.25
AME1G	ca	Case of (4) Gallons	32.0	72.60
AMETP	ea	(1) 2.5 Gallon Bottle	19.6	48.10
AMETP	ca	Case of (2) 2.5 Gallons	39.1	86.10
AME30		30 Gallon Drum*	244.0	487.00
AME55		55 Gallon Drum*	441.0	850.00
AME27		275 Gallon Tote*	2,102.2	4,200.00

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
SAE 15W-40 Synthetic Blend Diesel Oil				
PCOQT	ea	(1) Quart Bottle	2.1	4.60
PCOQT	ca	Case of (12) Quarts	24.9	48.60
PCO1G	ea	(1) Gallon	8.0	17.30
PCO1G	ca	Case of (4) Gallons	32.0	61.60
PCOTP	ea	(1) 2.5 Gallon Bottle	19.6	42.55
PCOTP	ca	Case of (2) 2.5 Gallons	39.1	74.50
PCO30		30 Gallon Drum*	244.0	419.00
PCO55		55 Gallon Drum*	441.0	726.00
PCO27		275 Gallon Tote*	2,122.2	3,580.00

SYNTHETIC DIESEL OILS

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

SYNTHETIC DIESEL OILS

Worldwide Performance

Specifications:

- API CI-4+/CF/CF-2, SL
- Global DHD-1
- ACEA A3/B3, E3, E5
- JASO DH-1
- Mack
- Detroit Diesel
- Caterpillar
- Cummins
- Volvo
- Daimler-Benz



Synthetic SAE 10W-30/SAE 30 Heavy Duty Diesel Oil

Exceeds both 10W-30 multi-grade and SAE 30 straight-grade viscosity requirements. Provides outstanding performance in pre-2007 diesel engines in on-road applications, as well as all model year diesel engines in off-road applications. Also recommended for gasoline engines requiring API SL or previous specifications. Excellent for heavy equipment and personal vehicles.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
SAE 10W-30/SAE 30 Synthetic Diesel Oil				
ACD1G	ea	(1) Gallon	8.1	20.80
ACD1G	ca	Case of (4) Gallons	32.4	73.20
ACD30		30 Gallon Drum*	244.0	494.00
ACD55		55 Gallon Drum*	441.0	864.00
ACD27		275 Gallon Tote*	2,120.0	4,270.00

SYNTHETIC GEAR LUBRICANTS

Performance Specifications:

- API GL-5/MT-1
- MIL-PRF-2105E
- GO-J
- Dana SHAES 234 (Eaton PS-037)



SEVERE GEAR Synthetic EP Lubricants

Specifically engineered for high demand applications, including trailer towing, heavy hauling, 4X4 off road driving, commercial use and racing. Superior lube "film strength" combined with extra additives protects gears and bearings from scoring and wear. Resists high heat and possess excellent cold flow properties. Outperforms all conventional gear oils. Recommended for all types of vehicles such as turbo diesel pick-ups, SUV's, autos, trucks, heavy equipment and motor homes. Compatible with most limited-slip differentials.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
SEVERE GEAR 75W-90				
SVGQT	ea	(1) Quart Bottle	2.0	9.25
SVGQT	ca	Case of (12) Quarts	24.5	96.60
SVG05		(1) 5 Gallon Pail	38.8	148.25
SVG16		16 Gallon Keg*	131.0	470.00
SVG30		30 Gallon Drum*	241.0	855.00
SVG55		55 Gallon Drum*	432.0	1,507.00

SEVERE GEAR 75W-110

SVTQT	ea	(1) Quart Bottle	2.0	10.05
SVTQT	ca	Case of (12) Quarts	24.5	105.00
SVT05		(1) 5 Gallon Pail	38.8	161.50
SVT16		16 Gallon Keg*	131.0	512.00
SVT30		30 Gallon Drum*	241.0	933.00
SVT55		55 Gallon Drum*	432.0	1,650.00

SEVERE GEAR 75W-140

SVOQT	ea	(1) Quart Bottle	2.1	11.20
SVOQT	ca	Case of (12) Quarts	24.7	116.40
SVO05		(1) 5 Gallon Pail	39.2	180.25
SVO16		16 Gallon Keg*	132.0	573.00
SVO30		30 Gallon Drum*	244.0	1,044.00
SVO55		55 Gallon Drum*	437.0	1,856.00
SVO27		275 Gallon Tote*	2,131.0	9,230.00

Performance Specifications:

- API GL-5/MT-1
- MIL-PRF-2105E
- GO-J+
- Dana SHAES 256 (Eaton PS-163)



Long Life Synthetic Gear Lubes

Specifically engineered for extended drain intervals up to 500,000 miles as set by equipment manufacturers for over-the-road trucks and heavy equipment. Provides long life in passenger cars and trucks. Protects against wear and improves equipment life. Excellent "All Season" summer and winter performance. Outperforms all conventional gear oils. Compatible with most limited-slip differentials.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
75W-90 Long Life Synthetic Gear Lube				
FGRQT	ea	(1) Quart Bottle	2.1	7.45
FGRQT	ca	Case of (12) Quarts	25.0	76.80
FGR1G	ea	(1) Gallon	8.1	28.80
FGR1G	ca	Case of (4) Gallons	32.3	99.60
FGR05		(1) 5 Gallon Pail	39.7	120.10
FGR16		16 Gallon Keg*	131.0	375.00
FGR30		30 Gallon Drum*	241.0	675.00
FGR55		55 Gallon Drum*	432.0	1,196.00
FGR27		275 Gallon Tote*	2,133.0	5,930.00

80W-140 Long Life Synthetic Gear Lube

FGO05		(1) 5 Gallon Pail	40.0	119.00
FGO16		16 Gallon Keg*	135.0	371.00
FGO30		30 Gallon Drum*	249.0	668.00
FGO55		55 Gallon Drum*	446.0	1,185.00
FGO27		275 Gallon Tote*	2,154.0	5,875.00

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

- Performance Specifications:**
- API GL-5/MT-1
 - MIL-PRF-2105E
 - GO-J
 - Dana SHAES 234 (Eaton PS-037)



Synthetic 80W-90 Gear Lube

High quality replacement for applications specifying SAE 80W-90 conventional gear lube. Synthetic construction provides improved cold flow properties, high viscosity index and heat resistance. Contains an over treat of high quality additives, exceeding the minimum standards. Provides excellent wear protection and long equipment life.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
80W-90 Synthetic Gear Lube				
AGLQT	ea	(1) Quart Bottle	2.1	6.50
AGLQT	ca	Case of (12) Quarts	25.2	66.60
AGL1G	ea	(1) Gallon	8.1	24.45
AGL1G	ca	Case of (4) Gallons	32.4	84.00
AGL05		(1) 5 Gallon Pail	39.8	103.40
AGL16		16 Gallon Keg*	133.9	325.00
AGL30		30 Gallon Drum*	244.0	587.00
AGL55		55 Gallon Drum*	441.0	1,033.00
AGL27		275 Gallon Tote*	2,141.2	5,115.00

- Worldwide Performance Specifications:**
- API GL-4, GL-5
 - SAE 75W/80W-90



Universal Synthetic Marine Gear Lube

Provides true marine gear performance. Contains a stable extreme pressure additive package that provides superior protection from shock loading. Resists foam and retains extreme pressure qualities even when subjected to 10 percent water contamination. For use in outboard lower units, sterndrives, V-drives, bow and tunnel thrusters and marine transmissions requiring an SAE 75W-90 or 80W-90 lube meeting either GL-4 or GL-5 performance standards. Excellent for use in ATV applications.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Universal Synthetic Marine Gear Lube				
AGMTB	ea	(1) 13-oz. Tube	1.2	5.10
AGMTB	ca	Case of (6) 13-oz. Tubes	7.4	27.00
AGMQT	ea	(1) Quart Bottle	2.1	6.60
AGMQT	ca	Case of (12) Quarts	25.2	68.40
AGM05		(1) 5 Gallon Pail	39.8	106.50
AGM16		16 Gallon Keg*	133.9	336.00
AGM30		30 Gallon Drum*	244.0	607.00
AGM55		55 Gallon Drum*	441.0	1,070.00

Slip-Lock Differential Additive

Formulated with advanced friction modifiers. Designed to eliminate gear-housing chatter in cars, trucks and SUVs equipped with limited-slip, positraction and locking differentials. Formulated for use with both synthetic and petroleum gear lubricants and safely replaces manufacturer-recommended friction modifiers.



Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Slip Lock Differential Additive				
ADABA	ea	(1) 4-oz. Bottle	0.3	5.50
ADABA	ca	Case of (12) 4-oz. Bottles	3.9	58.20

- Performance Specifications:**
- GM Dexron® II, III & VI
 - Ford MERCON®, MERCON® V & SP
 - Chrysler ATF+ thru ATF+4®
 - Honda Z-1 (not CVT Transmission)
 - Toyota Type T & T-IV
 - Mitsubishi/Hyundai Diamond SP-II & III
 - Allison C-3, C-4
 - Caterpillar TO-2
 - Voith G607 & G1363
 - ZF TE-ML 14A, B & C
 - MB 236.1, 236.2, 236.6, 236.7, 236.9
 - BMW 7045E
 - NAG 1 & 2
 - JWS 3309
 - ESSO LT 71141
 - Nissan Matic D, J & K
 - Vickers I 286S & M 2950S



Synthetic Universal Transmission Fluid

Recommended for most automatic transmissions. Eliminates confusion, mis-applications and lowers inventory requirements. Delivers maximum protection and is excellent in demanding environments such as towing, hauling or commercial use. Lasts longer than conventional oil for extended drain intervals. Saves time and costly maintenance expenses. Superior hot and cold weather performance. Improves efficiency and typically reduces operating temperatures by as much as 50°F. Excellent for power steering units that use ATF.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Synthetic Universal Automatic Transmission Fluid				
ATFQT	ea	(1) Quart Bottle	2.0	7.00
ATFQT	ca	Case of (12) Quarts	24.4	71.40
ATF1G	ea	(1) Gallon Bottle	7.9	27.40
ATF1G	ca	(04) Gallon Bottles	31.4	93.00
ATFTP	ea	(1) 2.5 Gallon Bottle	19.3	65.65
ATFTP	ca	(2) 2.5 Gallon Bottles	38.5	113.50
ATF16		16 Gallon Keg*	129.5	354.00
ATF30		30 Gallon Drum*	234.0	630.00
ATF55		55 Gallon Drum*	423.0	1,111.00
ATF27		275 Gallon Tote*	2,066.4	5,505.00

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.



Synthetic Synchronmesh Transmission Fluid 5W-30

Specifically designed for manual transmissions and transaxles with synchronmesh systems that require light viscosity, non-extreme pressure fortified oil. Formulated with advanced additive technology to provide proper friction characteristics for smooth shifting without grinding or bump shifting while providing the ultimate in gear and bearing protection. Outperforms motor oils in manual transmissions and is the recommended replacement for AMSOIL Series 3000 Synthetic 5W-30 Heavy-Duty Diesel Oil (HDD) in transmission applications. Protects at extreme temperatures from -40°F to 300°F. Possesses outstanding anti-wear and anti-foam properties and is non-corrosive to yellow metals.

- Recommended for use in or as a replacement for the following:**
- New Venture NV T350, NV1500, NV2550, NV3500, NV3550 & NV5600
 - Tremec T4, T5, T18, T176, TK0500, TK0600, TR3550 (GM Vehicles) & TR3450
 - Honda Genuine MTF
 - GM Part #12345349, #12345577, #12377916 & #1052931
 - Chrysler Part #4874464 & #4874465
 - GM Specs #9985648, #9986105 & #9985535
 - Chrysler Specs MS-9224 & MS-9417
 - Replaces MTF-94 & Texaco MTX Fluids

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Synthetic Synchronmesh Transmission Fluid 5W-30				
MTFQT	ea	(1) Quart Bottle	2.1	7.00
MTFQT	ca	Case of (12) Quarts	24.7	74.40
MTF05		(1) 5 Gallon Pail	39.2	116.60
MTF55		55 Gallon Drum*	435.9	1,177.00



Synthetic Manual Transmission and Transaxle Gear Lube 75W-90 GL-4

Designed to meet the requirements of certain manual transmissions and transaxles. Provides improved internal component protection. Formulated with extreme pressure additives and advanced synchronmesh qualities that provide smooth shifts while protecting bearings, gears and seals. Non-corrosive to yellow metals.

- Recommended for use in or as a replacement for the following:**
- API GL-4 / MT-1, ZF TE-ML 02B, 16A, 17A, 19A and MAN 341 ML
 - Synchronized manual transmissions and transaxles that require: 75W-85, 75W-90 or 80W-90 API GL-4 Gear Lube
 - NV 4500 Transmissions
 - Replaces GM Part #12346190
 - Replaces Chrysler Part #4874459
 - Replaces Chrysler Spec MS-9070
 - Certain Acura, Hyundai, Infiniti, Kia, Land Rover, Lexus, Mazda, Mitsubishi-Fuso and Zetor models requiring GL-4
 - Ideal for muscle car transmissions including Muncie, Borg-Warner, Saginaw, Ford Toploader, Dearborn and New Process
 - Tremec TR3550 (Chrysler vehicles) and T56 (Dodge SRT-10 truck and Dodge Viper) • Gear Vendors Gear Splitters

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Synthetic Manual Transmission and Transaxle Gear Lube				
MTGQT	ea	(1) Quart Bottle	2.0	8.10
MTGQT	ca	Case of (12) Quarts	24.6	87.00
MTG05		(1) 5 Gallon Pail	38.9	137.00
MTG55		55 Gallon Drum*	433.3	1,419.00

- Performance Specifications Include:**
- Allison C-4
 - Ford Type F



Synthetic Supershift Racing Transmission Fluid SAE 10W

Delivers outstanding performance in high performance, high horsepower vehicles. Formulated without friction modifiers and viscosity improvers for positive clutch pack engagement and stable viscosity. Formulated to prevent slippage and lower heat compared to conventional transmission fluids. Superb high temperature resistance controls oxidation and varnish. Resists wear, lasts longer and improves transmission life. Recommended for racing and street performance automatic transmissions.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Synthetic Supershift Racing Transmission Fluid SAE 10W				
ARTQT	ea	(1) Quart Bottle	2.0	7.20
ARTQT	ca	Case of (12) Quarts	24.3	76.80

- Recommended for use in Applications specifying:**
- Allison® TES-295 or C-4
 - Dexron® III
 - Mercon®
 - TE-ML 14C
 - VOITH G-1363



Torque-Drive Synthetic Automatic Transmission Fluid

Engineered specifically for the Allison TES-295 transmission fluid specification. Replaces Allison/Castrol Transynd® fluid. Excellent protection in temperature extremes. Ensures consistent, smooth clutch engagement over the life of the fluid and controls clutch glazing and elongated shift times. Recommended for extended drain intervals set by Allison.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Torque-Drive Synthetic Automatic Transmission Fluid				
ATD1G	ea	(1) Gallon Bottle	7.8	29.65
ATD1G	ca	(4) Gallon Bottles	31.2	104.80
ATDTP	ea	(1) 2.5 Gallon Bottle	19.2	72.25
ATDTP	ca	Case of (2) 2.5 Gallons	38.2	128.60
ATD16		16 Gallon Keg*	128.8	405.00
ATD30		30 Gallon Drum*	237.5	735.00
ATD55		55 Gallon Drum*	425.7	1,304.00
ATD27		275 Gallon Tote	2,053.5	6,470.00

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

Recommended for use in:		Synthetic Powershift Transmission Fluids		
SAE 10W • CAT TO-4 • Allison C-4 • Komatsu TO-10 • API GL-1		Specifically formulated for heavy-duty powershift transmissions. Provide outstanding friction performance for enhanced clutch engagement. Formulated to prevent slippage and glazing. Shear stable and anti-wear fortified. Protect gears and bearings. Resist high temperature oxidation, varnish and sludge formation. Superb cold flow properties. Extended drain interval capable. Recommended for heavy-duty service found in commercial and earth moving applications as well as lighter duty transmissions requiring the listed specifications. SAE 30 & 50 are also excellent for manual transmissions.		
Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Synthetic Powershift Transmission Fluid SAE 10W				
CTG05	(1) 5 Gallon Pail		38.6	108.50
CTG55	55 Gallon Drum*		430.0	1,078.00
CTG27	275 Gallon Tote*		2,071.0	5,340.00
Synthetic Powershift Transmission Fluid SAE 30				
CTJ05	(1) 5 Gallon Pail		39.2	111.00
CTJ55	55 Gallon Drum*		436.0	1,106.00
Synthetic Powershift Transmission Fluid SAE 50				
CTL05	(1) 5 Gallon Pail		39.8	117.00
CTL55	55 Gallon Drum*		440.0	1,172.00
CTL27	275 Gallon Tote*		2,138.0	5,810.00

Synthetic Two-Cycle Oils
 Engineered for maximum performance in specific applications, yet recommended for use in multiple applications. Contain application specific additives designed to prevent carbon build-up, ring sticking, plug fouling and varnish formation. Provide excellent lubricity to prevent wear and piston scuffing.

- Performance Specifications:**
- TC-W3
 - API TC
 - (Injection or 50:1 pre-mix)



HP Injector®		Excellent for all outboard motors with a performance emphasis on modern direct fuel injected (DFI) technology. Also recommended for personal watercraft, jet boats, motorcycles, snowmobiles and ATVs. Injector use or 50:1 premix.		
Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
HP Injector Oil				
HPIQT	ea	(1) Quart Bottle	2.0	5.35
HPIQT	ca	Case of (12) Quarts	24.5	57.00
HPI1G	ea	(1) Gallon	7.9	19.95
HPI1G	ca	Case of (4) Gallons	31.7	72.40
HPI16		16 Gallon Keg*	130.7	278.00
HPI30		30 Gallon Drum*	241.1	497.00
HPI55		55 Gallon Drum*	432.3	869.00
HPI27		275 Gallon Tote*	2,087.0	4,295.00

- Performance Specifications:**
- API TC
 - JASO FC



Dominator®		Premier racing two-cycle oil with a performance emphasis toward high horsepower and modified racing or trail motors. Examples include snowmobiles, motorcycles, ATVs, personal watercraft, go-carts or outboard racing motors that are periodically inspected. Contains higher viscosity oils for best overall protection. Contains additives for higher operating temperatures. Injector use or 50:1 pre-mix.		
Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Dominator 2-Cycle Oil				
IDRQT	ea	(1) Quart Bottle	2.1	6.95
IDRQT	ca	Case of (12) Quarts	25.1	73.80
IDR1G	ea	(1) Gallon	8.1	26.70
IDR1G	ca	Case of (4) Gallons	32.4	95.00
IDR16		16 Gallon Keg*	133.7	355.00
IDR30		30 Gallon Drum*	246.7	667.00
IDR55		55 Gallon Drum*	442.6	1,180.00

- Performance Specifications:**
- API TC
 - JASO FC



Interceptor®		A high-performance two-cycle oil with a performance emphasis on exhaust power valves. Excellent for all types of snowmobiles, motorcycles, personal watercraft, ATVs and jet boats. Contains high levels of detergent additives to prevent valve sticking. High quality replacement for manufacturer branded oils. Injector use or 50:1 premix.		
Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Interceptor 2-Cycle Oil				
AITQT	ea	(1) Quart Bottle	2.1	6.20
AITQT	ca	Case of (12) Quarts	25.5	64.80
AIT1G	ea	(1) Gallon	8.2	23.60
AIT1G	ca	Case of (4) Gallons	33.0	82.40
AIT16		16 Gallon Keg*	136.0	317.00
AIT30		30 Gallon Drum*	251.0	569.00
AIT55		55 Gallon Drum*	451.0	1,001.00
AIT27		275 Gallon Tote*	2,176.0	4,955.00

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

TWO-CYCLE OILS

- Performance Specifications:**
- ISO-L-EGD
 - JASO FD, FC
 - API TC



Saber® Professional

Designed for pre-mix applications as lean as 100:1 ratios. Richer mix ratios may be used where desired. Saber® oils improve throttle response, lower or eliminate smoke, minimize deposit formation and lower emissions. Saber® Professional has a performance emphasis on hand-held power equipment such as chain saws and lawn/utility equipment.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Saber Professional				
ATPPK	ea	(1) 1.5-oz. Pack	0.2	0.90
ATPPK	ca	Case of (48) 1.5-oz. Packs	7.2	40.80
ATPBA	ea	(1) 3.5-oz. Bottle	0.4	1.50
ATPBA	ca	Case of (12) 3.5-oz. Bottles	4.5	15.60
ATPBC	ea	(1) 8-oz. Bottle	0.7	2.80
ATPBC	ca	Case of (12) 8-oz. Bottles	8.6	30.00
ATPQT	ea	(1) Quart Bottle	2.1	6.90
ATPQT	ca	Case of (12) Quarts	25.4	73.20
ATP30		30 Gallon Drum*	250.2	659.00
ATP55		55 Gallon Drum*	449.1	1,166.00

- Performance Specifications:**
- TC-W3 (Pre-Mix)
 - API TC



Saber® Outboard

Designed for pre-mix applications as lean as 100:1 ratios. Richer mix ratios may be used where desired. Saber® oils improve throttle response, lower or eliminate smoke, minimize deposit formation and lower emissions. Saber® Outboard has a performance emphasis on the cooler operations of water-cooled motors.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Saber Outboard				
ATOBC	ea	(1) 8-oz. Bottle	0.7	2.85
ATOBC	ca	Case of (12) 8-oz. Bottles	8.7	31.20
ATOQT	ea	(1) Quart Bottle	2.2	7.05
ATOQT	ca	Case of (12) Quart Bottles	25.8	76.20
ATO30		30 Gallon Drum*	252.2	670.00
ATO55		55 Gallon Drum*	425.7	1,184.00

CHAINCASE LUBE & BAR & CHAIN OIL



Series 2000 Synthetic Chaincase Lubricant

Provides superior protection and performance for enclosed chains. Ideal for snowmobiles, ATVs and general equipment. Extreme pressure additives provide extra wear protection. Extends chain life, repels water and inhibits rust, oxidation and foam. Superior low temperature performance and protection.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Series 2000 Synthetic Chaincase Lubricant				
ICCBE	ea	(1) 12-oz. Bottle	0.8	4.60
ICCBE	ca	Case of (6) 12-oz. Bottles	4.8	24.90
ICC05		(1) 5 Gallon Pail	32.4	105.00



Semi-Synthetic Bar and Chain Oil

Tacky formula clings to metal surfaces better than other oils. Delivers unparalleled lubrication and protection. Anti-wear additives extend the life of bar and chain applications. Ideal for chainsaws.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Semi-Synthetic Bar and Chain Oil				
ABCQT	ea	(1) Quart Bottle	2.1	2.70
ABCQT	ca	Case of (12) Quarts	24.7	30.60
ABC1G	ea	(1) Gallon Bottle	8.1	10.95
ABC1G	ca	Case of (4) Gallons	32.2	41.60
ABC05		(1) 5 Gallon Pail	39.2	49.00
ABC55		55 Gallon Drum*	455.0	451.00

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

Performance Specifications:

- NLGI #2
- GC/LB



Series 2000 Synthetic Racing Grease

Ultimate protection for hard-driven, high-performance vehicles. Dramatically reduces friction and wear for improved performance. Excels at both high and low temperature performance. Outperforms other conventional and synthetic greases.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Series 2000 Synthetic Racing Grease				
GRGCR	ea	(1) 14-oz. Cartridge	1.0	8.05
GRGCR	ca	Case of (10) 14-oz. Carts	10.0	70.00
GRGCR	pk	Pack of (40) 14-oz. Carts	40.0	266.00
GRG35		35-lb. Lug*	40.0	225.50
GRG99		120-lb. Keg*	132.0	677.00



Synthetic Heavy-Duty Grease

Extreme-pressure, moly-fortified. Provides outstanding protection for steering knuckles, spring shackles, heavy equipment pivot joints and other components operating in high-load, low-speed conditions. NLGI #1 is preferred for cold temperatures and auto pumping systems. Offers excellent water washout resistance.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Synthetic Heavy-Duty Grease NLGI #2				
GHDCR	ea	(1) 14-oz. Cartridge	1.0	4.45
GHDCR	ca	Case of (10) 14-oz. Carts	10.0	37.00
GHDCR	pk	Pack of (40) 14-oz. Carts	40.0	142.00
GH35		35-lb. Lug*	40.0	117.00
GH99		120-lb. Keg*	132.0	363.00
GH40		400-lb. Drum*	415.0	1,149.00

Performance Specifications:

- NLGI #2
- GC/LB

Performance Specifications:

- NLGI #1
- GC/LB

Synthetic Heavy-Duty Grease NLGI #1

GHBCR	ea	(1) 14-oz. Cartridge	1.0	4.45
GHBCR	ca	(10) 14-oz. Cartridges	10.0	37.00
GHBCR	pk	(40) 14-oz. Cartridges	40.0	142.00
GH35		35-lb. Lug*	40.0	117.00
GH99		120-lb. Keg*	132.0	363.00
GH40		400-lb. Drum*	415.0	1,149.00



Synthetic Multi-Purpose Grease

Reduces friction and wear in high-speed, high-temperature components such as automotive wheel bearings and electric motors. Keeps components running clean and trouble free for outstanding performance and long life. NLGI #0 and NLGI #1 greases have better mobility and are preferred for cold temperature and automatic pump systems. NLGI #0 is not recommended for automotive wheel bearings. NLGI #2 is the primary wheel bearing recommendation.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Synthetic Multi-Purpose Grease NLGI #2				
GLCTB	ea	(1) 8-oz. Tube	0.7	4.00
GLCTB	ca	Case of (12) 8-oz. Tubes	8.0	41.40
GLCCR	ea	(1) 14-oz. Cartridge	1.0	4.10
GLCCR	ca	Case of (10) 14-oz. Carts	10.0	34.00
GLCCR	pk	Pack (40) 14-oz. Carts	40.0	132.00
GLC35		35-lb. Lug*	40.0	107.25
GLC99		120-lb. Keg*	132.0	337.00
GLC40		400-lb. Drum*	415.0	1,052.00

Performance Specifications:

- NLGI #2
- GC/LB

Performance Specifications:

- NLGI #1
- GC/LB

Synthetic Multi-Purpose Grease NLGI #1

GLBCR	ea	(1) 14-oz. Cartridge	1.0	4.10
GLBCR	ca	Case of (10) 14-oz. Carts	10.0	34.00
GLBCR	pk	Pack of (40) 14-oz. Carts	40.0	132.00
GLB35		35-lb. Lug*	40.0	107.25
GLB99		120-lb. Keg*	132.0	337.00
GLB40		400-lb. Drum*	415.0	1,052.00

Performance Specifications:

- NLGI #0
- GC/LB

Synthetic Multi-Purpose Grease NLGI #0

GLA35		35-lb. Lug*	40.0	107.25
GLA99		120-lb. Keg*	132.0	337.00
GLA40		400-lb. Drum*	415.0	1,052.00

Performance Specifications:

- NLGI #2



Synthetic Multi-Purpose Spray Grease

The same great AMSOIL Synthetic Multi-Purpose Grease in a convenient spray formulation. Ideal for greasing hard-to-reach equipment such as hinges, springs and other common applications.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Synthetic Multi-Purpose Spray Grease				
GLCSC	ea	(1) 10.5-fluid oz. can**	1.0	5.05
GLCSC	ca	Case of (12) 10.5-oz. cans**	11.7	54.60

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

GREASES

Performance Specifications Include:
 • NLGI #2
 • GC/LB



Synthetic Water Resistant Grease

Resists water washout and degradation. Unparalleled protection for boat trailer wheel bearings and other components frequently exposed to water. Stays in place, lubricates and protects against rust.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Synthetic Water Resistant Grease				
GWRCR	ea	(1) 14-oz. Cartridge	1.0	4.65
GWRCR	ca	Case of (10) 14-oz. Carts	10.0	39.50
GWRCR	pk	Pack of (40) 14-oz. Carts	40.0	152.00
GWR35		35-lb. Lug*	40.0	123.75
GWR99		120-lb. Keg*	132.0	382.00

Performance Specifications Include:
 • NLGI #2



Synthetic High Viscosity Lithium Complex Grease

AMSOIL Synthetic GVC is a lithium complex thickened grease blended with premium ISO-320 synthetic base oils. Fully compounded with additives providing EP protection, oxidation resistance and rust and corrosion protection. AMSOIL GVC is excellent for use in heavy duty industrial and off road applications where equipment is working under adverse conditions such as exposure to environmental elements, slow, heavily-loaded applications and shock-loading conditions.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Synthetic High Viscosity Lithium Complex Grease				
GVCCR	ca	Case of (10) 14-oz. Carts	10.0	40.00
GVCCR	pk	Pack of (40) 14-oz. Carts	40.0	150.00

Performance Specifications Include:
 • NLGI #00

Semi-Fluid 00 Synthetic EP Grease

AMSOIL Semi-Fluid 00 Synthetic EP Grease is formulated with high viscosity ISO-460 synthetic base oils and a sophisticated additive package, providing and unparalleled protection against wear. Ideal for leaky gear boxes in industrial and fleet applications, centralized lubrication systems and for use in applications that are difficult to service. Primarily used in grease-filled cases where conventional semifluid greases do not provide adequate lubricant life or protection. Replaces Mobil SHC 007.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Semi-Fluid 00 Synthetic EP Grease				
GSE35		35-lb. Lug*	40.0	220.25
GSE99		120-lb. Keg*	132.0	720.00
GSE40		400-lb. Drum*	415.0	2,341.00

Performance Specifications Include:
 • USDA H-1
 • NLGI #2
 • High Temperature EP



X-Treme Synthetic Food Grade Grease

An ultra-premium lubricant designed for high levels of protection in food and pharmaceutical industry equipment. Former USDA H-1 rated for incidental contact with food. Controls seal leakage.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
X-Treme Synthetic Food Grade Grease				
GXCCR	ea	(1) 14-oz. Cartridge	1.0	6.45
GXCCR	ca	Case of (10) 14-oz. Carts	10.0	54.00
GXCCR	pk	Pack of (40) 14-oz. Carts	40.0	202.00
GXC35		35-lb. Lug*	40.0	181.50
GXC99		120-lb. Keg*	132.0	556.00

Performance Specifications Include:
 • AGMA 14R



Synthetic Fifth Wheel & Open Gear Compound

Stays in place and protects over a broad temperature range without flaking in low temperatures or softening in high temperatures. Excellent for fifth wheel applications, with a convenient aerosol spray application that creates less mess. Designed to resist water washout. Can also be used in open gear applications.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Synthetic Fifth Wheel & Open Gear Compound				
GFWSC	ea	(1) 11.5-fluid oz. can**	1.0	6.75
GFWSC	ca	Case of (6) 11.5-oz. cans**	6.2	35.40

HYDRAULIC OILS



Synthetic Tractor Hydraulic/Transmission Oil SAE 5W-30

Formulated for combinations of transmission, hydraulic systems, final drives, power take-off systems and wet brakes. Engineered specifically to meet the tough applications of heavy-duty farm and industrial equipment as well as commercial and residential lawn tractors. Exceeds the most demanding "all weather" specifications of both Ford New Holland FNHA-2-C-200 & 2-C-201 and John Deere J20C & J20D, as well as most other tractor hydraulic transmissions. Eliminates the need for seasonal oil changes. Ideal for lawn tractor hydrostatic transmissions.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Synthetic Tractor Hydraulic/Transmission Oil SAE 5W-30				
ATHQT	ea	(1) Quart Bottle	2.1	5.55
ATHQT	ca	Case of (12) Quarts	25.2	58.20
ATH05		(1) 5 Gallon Pail	39.0	87.25
ATH30		30 Gallon Drum*	240.0	490.00
ATH55		55 Gallon Drum*	434.0	854.00
ATH27		275 Gallon Tote*	2,095.8	4,220.00

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

- Recommended For:**
- Denison HF-0, HF-1, HF-2
 - Vickers M-2950-S & I-286-S
 - Cincinnati Milacron P-68, P-69, P-70
 - MEHF
 - Many Others

Synthetic Anti-Wear Hydraulic Oils

Protects hard-working hydraulic systems from the stress of high-pressure, high-load and heavy-duty operations. Remains fluid in cold temperatures for immediate cold weather flow. Special anti-wear additives and rust inhibitors provide optimum protection to expensive equipment.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
-----------	-----------------	----------	-------------	------------------

Synthetic Anti-Wear Hydraulic Oil - ISO 15

AWF05	(1) 5 Gallon Pail		37.7	112.25
AWF55	55 Gallon Drum*		419.0	1,139.00
AWF27	275 Gallon Tote*		2,024.6	5,645.00

Synthetic Anti-Wear Hydraulic Oil - ISO 22

AWG05	(1) 5 Gallon Pail		38.0	112.25
AWG55	55 Gallon Drum*		421.0	1,139.00

Synthetic Anti-Wear Hydraulic Oil - ISO 32

AWH05	(1) 5 Gallon Pail		38.9	89.55
AWH30	30 Gallon Drum*		241.3	500.00
AWH55	55 Gallon Drum*		423.0	886.00
AWH27	275 Gallon Tote*		2,088.4	4,380.00

Synthetic Anti-Wear Hydraulic Oil - ISO 46

AWI05	(1) 5 Gallon Pail		38.9	96.00
AWI55	55 Gallon Drum*		425.0	952.00
AWI27	275 Gallon Tote*		2,089.5	4,710.00

Synthetic Anti-Wear Hydraulic Oil - ISO 68

AWJ05	(1) 5 Gallon Pail		39.1	101.55
AWJ55	55 Gallon Drum*		428.0	1,018.00
AWJ27	275 Gallon Tote*		2,098.9	5,040.00

- Performance Specifications:**
- ISO 32/46
 - SAE 5W-20

Synthetic Biodegradable Hydraulic Oil

A premium lubricant designed to biodegrade to its natural state when subjected to sunlight, water and microbial activity. TBI has a very low toxicity level because the oil is formulated with ashless additives that do not contain heavy metals. AMSOIL TBI is recommended for gear, vane and piston stationary and mobile hydraulic systems. TBI is a multi-viscosity, SAE 5W-20 oil and is recommended for use in place of either ISO-32 or ISO-46 hydraulic oils.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
-----------	-----------------	----------	-------------	------------------

Synthetic Biodegradable Hydraulic Oil

TBI05	(1) 5 Gallon Pail		41.2	155.00
TBI55	55 Gallon Drum*		458.0	1,606.00
TBI27	275 Gallon Tote*		2,215.7	7,980.00

Synthetic Compressor Oil

The correct manufacturer-recommended viscosity grade of AMSOIL PC Series compressor oil is recommended for use in rotary screw, rotary vane, reciprocating and other compressor applications. Compatible with PAO, ester- and petroleum-based compressor oils. They are not compatible with glycol or silicone-based compressor oils. Consult AMSOIL INC. for further information.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
-----------	-----------------	----------	-------------	------------------

Synthetic Compressor Oil - ISO 32, SAE 10W

PCH05	(1) 5 Gallon Pail		38.4	108.25
PCH55	55 Gallon Drum*		428.0	1,087.00
PCH27	275 Gallon Tote*		2,060.9	5,385.00

Synthetic Compressor Oil - ISO 46, SAE 20

PCIQT	ea	(1) Quart Bottle	2.0	6.65
PCIQT	ca	Case of (12) Quarts	24.4	70.80
PCI05	(1) 5 Gallon Pail		38.4	109.50
PCI30	30 Gallon Drum*		238.3	625.00
PCI55	55 Gallon Drum*		427.3	1,100.00
PCI27	275 Gallon Tote*		2,061.5	5,450.00

Synthetic Compressor Oil - ISO 68, SAE 30

PCJ05	(1) 5 Gallon Pail		39.0	112.00
PCJ55	55 Gallon Drum*		432.0	1,128.00
PCJ27	275 Gallon Tote*		2,072.2	5,590.00

Synthetic Compressor Oil - ISO 100, SAE 40

PCKQT	ea	(1) Quart Bottle	2.1	6.80
PCKQT	ca	Case of (12) Quarts	24.6	72.60
PCK05	(1) 5 Gallon Pail		38.8	114.25
PCK30	30 Gallon Drum*		240.8	653.00
PCK55	55 Gallon Drum*		431.8	1,155.00
PCK27	275 Gallon Tote*		2,084.0	5,725.00

Synthetic Compressor Oil - ISO 150, SAE 50

PCL05	(1) 5 Gallon Pail		39.0	117.25
PCL55	55 Gallon Drum*		437.0	1,188.00

SIROCCO™ Synthetic Compressor Oil

SIROCCO™ is recommended as a direct replacement for PAG compressor oils such as Sullair Sullube 32 and Ingersoll Rand SSR Ultra Coolant. Not recommended for use with Silicone base fluids. Consult AMSOIL for further information.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
-----------	-----------------	----------	-------------	------------------

SIROCCO™ Synthetic Compressor Oil - ISO-32/46 SAE 5W-20

SEI05	(1) 5 Gallon Pail		38.8	165.00
SEI55	55 Gallon Drum*		434.5	1,705.00
SEI27	275 Gallon Tote*		2,257.0	8,475.00



HYDRAULIC OILS

COMPRESSOR FLUIDS

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

EaA AIR FILTERS & EaAB CRANKCASE BREATHER AIR FILTERS



EaA Air Filters

AMSOIL has brought Nanofiber technology to the auto/light truck market. AMSOIL Ea Air Filters hold 15 times more dust than a wet gauze type filter. AMSOIL Ea Air Filter media removes 5 times more dust than traditional cellulose filters and 50 times more dust than wet gauze. AMSOIL Ea Air Filters provide the absolute best filtration and have an unmatched 4-year/100,000-mile guarantee. AMSOIL Ea Air Filters save money. Case lots of six air filters also available.

EaA Air Filters			
Stock No.	Unit of Measure	Wt. Lbs. ea	Commercial Price
EaA04	ea (1 Filter)	0.9	24.05
EaA04	ca (Case of 6)	6.0	134.40
EaA08	ea (1 Filter)	1.0	26.75
EaA08	ca (Case of 6)	6.0	149.40
EaA22	ea (1 Filter)	0.9	20.95
EaA22	ca (Case of 6)	6.0	117.00
EaA23	ea (1 Filter)	1.1	20.95
EaA23	ca (Case of 6)	7.0	117.00
EaA24	ea (1 Filter)	0.9	24.05
EaA24	ca (Case of 6)	6.0	134.40
EaA25	ea (1 Filter)	2.1	26.75
EaA25	ca (Case of 6)	13.0	149.40
EaA29	ea (1 Filter)	1.0	26.75
EaA29	ca (Case of 6)	6.0	149.40
EaA31	ea (1 Filter)	1.5	24.05
EaA31	ca (Case of 6)	9.0	134.40
EaA32	ea (1 Filter)	1.1	20.95
EaA32	ca (Case of 6)	7.0	117.00
EaA47	ea (1 Filter)	0.6	20.95
EaA47	ca (Case of 6)	6.0	117.00
EaA49	ea (1 Filter)	0.8	24.05
EaA49	ca (Case of 6)	6.0	134.40
EaA51	ea (1 Filter)	1.9	26.75
EaA51	ca (Case of 6)	6.0	149.40
EaA52	ea (1 Filter)	0.7	26.75
EaA52	ca (Case of 6)	12.0	149.40
EaA74	ea (1 Filter)	0.8	24.05
EaA74	ca (Case of 6)	6.0	134.40
EaA81	ea (1 Filter)	0.7	20.95
EaA81	ca (Case of 6)	6.0	117.00
EaA82	ea (1 Filter)	0.7	20.95
EaA82	ca (Case of 6)	6.0	117.00
EaA83	ea (1 Filter)	1.3	33.05
EaA83	ca (Case of 6)	8.0	184.50
EaA86	ea (1 Filter)	0.6	20.95
EaA86	ca (Case of 6)	6.0	117.00
EaA87	ea (1 Filter)	0.6	20.95
EaA87	ca (Case of 6)	6.0	117.00
EaA88	ea (1 Filter)	0.7	24.05
EaA88	ca (Case of 6)	6.0	134.40
EaA101	ea (1 Filter)	0.9	24.05
EaA101	ca (Case of 6)	6.0	134.40
EaA103	ea (1 Filter)	2.5	40.90
EaA103	ca (Case of 6)	15.0	228.30
EaA104	ea (1 Filter)	1.2	33.05
EaA104	ca (Case of 6)	8.0	184.50
EaA106	ea (1 Filter)	1.9	33.05
EaA106	ca (Case of 6)	12.0	184.50
EaA111	ea (1 Filter)	2.3	40.90
EaA111	ca (Case of 6)	14.0	228.30
EaA112	ea (1 Filter)	2.8	40.90
EaA112	ca (Case of 6)	17.0	228.30
EaA118	ea (1 Filter)	1.3	26.75
EaA118	ca (Case of 6)	7.8	149.40

EaA Air Filters (continued)			
Stock No.	Unit of Measure	Wt. Lbs. ea	Commercial Price
EaA121	ea (1 Filter)	1.8	33.05
EaA121	ca (Case of 6)	11.0	184.50
EaA122	ea (1 Filter)	1.1	26.75
EaA122	ca (Case of 6)	7.0	149.40
EaA123	ea (1 Filter)	1.7	33.05
EaA123	ca (Case of 6)	11.0	184.50
EaA124	ea (1 Filter)	0.8	26.75
EaA124	ca (Case of 6)	6.0	149.40
EaA126	ea (1 Filter)	1.0	24.05
EaA126	ca (Case of 6)	6.0	134.40
EaA127	ea (1 Filter)	0.8	24.05
EaA127	ca (Case of 6)	6.0	134.40
EaA128	ea (1 Filter)	1.1	26.75
EaA128	ca (Case of 6)	7.0	149.40
EaA129	ea (1 Filter)	1.1	24.05
EaA129	ca (Case of 6)	7.0	134.40
EaA170	ea (1 Filter)	1.0	24.05
EaA170	ca (Case of 6)	6.0	134.40
EaA176	ea (1 Filter)	1.5	33.05
EaA176	ca (Case of 6)	9.0	184.50
EaA189	ea (1 Filter)	1.5	33.05
EaA189	ca (Case of 6)	9.0	184.50
EaA191	ea (1 Filter)	1.1	26.75
EaA191	ca (Case of 6)	7.0	149.40
EaA200	ea (1 Filter)	1.0	26.75
EaA200	ca (Case of 6)	6.0	149.40
EaA201	ea (1 Filter)	0.8	26.75
EaA201	ca (Case of 6)	4.8	149.40
EaA202	ea (1 Filter)	0.8	20.95
EaA202	ca (Case of 6)	4.8	117.00
EaA203	ea (1 Filter)	1.9	33.05
EaA203	ca (Case of 6)	11.4	184.50
EaA204	ea (1 Filter)	1.5	33.05
EaA204	ca (Case of 6)	9.0	184.50
EaA205	ea (1 Filter)	1.2	24.05
EaA205	ca (Case of 6)	7.2	134.40
EaA206	ea (1 Filter)	0.9	24.05
EaA206	ca (Case of 6)	5.4	134.40
EaA207	ea (1 Filter)	1.0	24.05
EaA207	ca (Case of 6)	6.0	134.40
EaA208	ea (1 Filter)	1.0	24.05
EaA208	ca (Case of 6)	6.0	134.40
EaA289	ea (1 Filter)	0.9	26.75
EaA289	ca (Case of 6)	6.0	149.40
EaA416	ea (1 Filter)	1.0	24.05
EaA416	ca (Case of 6)	6.0	134.40
EaA419	ea (1 Filter)	0.9	26.75
EaA419	ca (Case of 6)	6.0	149.40
EaA484	ea (1 Filter)	1.0	26.75
EaA484	ca (Case of 6)	6.0	149.40
EaA524	ea (1 Filter)	0.7	24.05
EaA524	ca (Case of 6)	6.0	134.40
EaA728	ea (1 Filter)	1.7	33.05
EaA728	ca (Case of 6)	11.0	184.50



EaAB Crankcase Breather Air Filters

AMSOIL EaAB provide excellent oil vapor control, increased efficiency and superior engine performance in street rod and racing applications. EaAB Filters are a perfect compliment to EaAR Filters, ensuring superior air filtration in high-performance and severe-service applications. Cleanable and reusable.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
EaAB1330	(1) EaAB Filter	1.0	17.00
EaAB1370	(1) EaAB Filter	1.0	17.00
EaAB1491	(1) EaAB Filter	1.0	17.00
EaAB1511	(1) EaAB Filter	1.0	17.00
EaAB1513	(1) EaAB Filter	1.0	17.00
EaAB1514	(1) EaAB Filter	1.0	17.00
EaAB2480	(1) EaAB Filter	1.0	17.00

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.



AMSOIL Universal Air Induction Filters

AMSOIL Universal Air Induction Filters (EaAU) are designed to replace stock oil wetted gauze or foam conical filters that were supplied with custom induction systems produced by K&N, Injen, S&B, Green, AIRAID, AFE, TrueFlow and more. AMSOIL EaAU Filters offer better efficiency, excellent airflow and are cleanable.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
EaAU3050	(1) EaAU Filter	1.5	33.70
EaAU3051	(1) EaAU Filter	1.4	33.70
EaAU3090	(1) EaAU Filter	2.0	47.20
EaAU3555	(1) EaAU Filter	0.9	41.80
EaAU3560	(1) EaAU Filter	1.6	35.25
EaAU3570	(1) EaAU Filter	0.9	38.40
EaAU3590	(1) EaAU Filter	2.0	47.20
EaAU4070	(1) EaAU Filter	1.4	41.80
EaAU4075	(1) EaAU Filter	2.0	42.95
EaAU4090	(1) EaAU Filter	1.1	43.15
EaAU4091	(1) EaAU Filter	3.6	63.15
EaAU4095	(1) EaAU Filter	2.2	45.15
EaAU4178	(1) EaAU Filter	2.5	47.20
EaAU4510	(1) EaAU Filter	2.8	51.90
EaAU4560	(1) EaAU Filter	1.3	35.25
EaAU6065	(1) EaAU Filter	1.8	41.10
EaAU6075	(1) EaAU Filter	1.8	45.15
EaAU6080	(1) EaAU Filter	3.2	46.50
EaAU6081	(1) EaAU Filter	1.6	45.15

AMSOIL Carbureted Engine Air Filters

AMSOIL Carbureted Engine Air Filters are specially designed for racing and street rod enthusiasts who desire Ea protection in carbureted applications. AMSOIL custom EaAR filter assemblies are designed for use with carbureted engines that use a 14-inch round element air cleaner housing. EaAR filters are cleanable and reusable. Kits feature the common 14-inch diameter carburetor plate, filter and high air flow lid. Kits are available with 2, 3, 4, 5 or 6-inch high filters to meet the needs of racers and enthusiasts. Replacement filters, Air Flow lids and carburetor plates are also available for purchase separately.



Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
EaAR2102	(1) Kit - 14" Dia. 2 3/4" Ht.	4.7	86.40
EaAR2103	(1) Kit - 14" Dia. 3 5/8" Ht.	5.0	86.40
EaAR2104	(1) Kit - 14" Dia. 4 11/16" Ht.	5.3	86.40
EaAR2105	(1) Kit - 14" Dia. 5 11/16" Ht.	5.6	90.90
EaAR2106	(1) Kit - 14" Dia. 6 7/8" Ht.	5.9	90.90
EaAR2140	(1) Replacement Base	1.0	33.75
EaAR2141	(1) Replacement Lid 7/8" Ht.	1.7	45.90
EaAR2142	(1) Replacement Filter 2" Ht.	2.0	33.75
EaAR2143	(1) Replacement Filter 3" Ht.	2.0	33.75
EaAR2144	(1) Replacement Filter 4" Ht.	2.6	33.75
EaAR2145	(1) Replacement Filter 5" Ht.	2.9	35.55
EaAR2146	(1) Replacement Filter 6" Ht.	3.2	35.55

AMSOIL EaPF Pre-Filters

AMSOIL now offers Ea Pre-Filters (EaPF) for racing and off-road applications. AMSOIL Ea Pre-Filters prevent large particles from sticking to EaAR and EaAU Filters and blocking the flow of air. These polyester mesh bags fit over the top of existing air filters and feature an industrial-grade elastic band at the opening to ensure the pre-filter does not slide off. Ea Pre-Filters prevent particles down to 0.005" from getting to the air filter without significantly reducing airflow. Particles larger than 0.005" generally just fall off the pre-filter.



Stock No.	Fits AMSOIL Part #	Wt. Lbs. ea	Commercial Price
EaPF01	EaAR2102	0.1	13.95
EaPF02	EaAR2102*	0.1	19.95
EaPF03	EaAR2103	0.1	13.95
EaPF04	EaAR2103*	0.1	19.95
EaPF05	EaAR2104	0.1	13.95
EaPF06	EaAR2104*	0.1	19.95
EaPF07	EaAR2105	0.1	13.95
EaPF08	EaAR2105*	0.1	19.95
EaPF09	EaAR2106	0.1	19.95
EaPF10	EaAR2106*	0.1	19.95
EaPF11	EaAU3560/4560	0.1	15.95

* - Fits Filter Unit With Top

Stock No.	Fits AMSOIL Part #	Wt. Lbs. ea	Commercial Price
EaPF12	EaAU4095	0.1	18.95
EaPF13	EaAU4091	0.1	20.95
EaPF14	EaAU4178	0.1	18.95
EaPF15	EaAU6080/6081	0.1	15.95
EaPF16	EaAU6075	0.1	15.95
EaPF17	EaAU6065	0.1	15.95
EaPF18	EaAU4075	0.1	15.95
EaPF19	EaAU4070	0.1	15.95
EaPF20	EaAU4510	0.1	18.95
EaPF21	EaAU3090/3590	0.1	15.95
EaPF22	EaAU3555	0.1	13.95
EaPF24	EaAU3050	0.1	15.95
EaPF25	EaAU3051	0.1	15.95
EaPF26	EaAU3570	0.1	13.95
EaPF27	POD	0.1	9.95

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

EaAU UNIVERSAL AIR INDUCTION FILTERS, EaAR CARBURETED ENGINE AIR FILTERS & EaPF PRE-FILTERS

EaO Oil Filters



AMSOIL EaO Filters are made with premium-grade full synthetic media. Ea Oil Filters feature advanced full synthetic nanofiber technology, making them the highest efficiency filters that are available for the auto/light truck market. AMSOIL EaO Filters are guaranteed for 25,000 miles or one year, whichever comes first, when used in conjunction with AMSOIL Synthetic Motor Oil in gasoline and diesel vehicles in normal service, 15,000 miles for severe service. This coincides with the AMSOIL 25,000-mile/one year motor oil drain interval, adding even more convenience for motorists by consolidating routine maintenance. Case lots of twelve oil filters also available

EaO OIL FILTERS & EaAM MOTORCYCLE AIR FILTERS

EaO Oil Filters			
Stock No.	Unit of Measure	Wt. Lbs. ea	Commercial Price
EAO09	ea (1 Filter)	0.6	10.60
EAO09	ca (Case of 12)	8.0	118.80
EAO10	ea (1 Filter)	0.6	10.60
EAO10	ca (Case of 12)	8.0	118.80
EAO11	ea (1 Filter)	0.9	11.05
EAO11	ca (Case of 12)	11.0	123.60
EAO12	ea (1 Filter)	0.6	11.05
EAO12	ca (Case of 12)	8.0	123.60
EAO13	ea (1 Filter)	0.6	11.50
EAO13	ca (Case of 12)	8.0	128.40
EAO14	ea (1 Filter)	0.6	11.50
EAO14	ca (Case of 12)	8.0	128.40
EAO15	ea (1 Filter)	1.0	10.60
EAO15	ca (Case of 12)	12.0	118.80
EAO20	ea (1 Filter)	0.7	10.60
EAO20	ca (Case of 12)	9.0	118.80
EAO21	ea (1 Filter)	0.9	11.95
EAO21	ca (Case of 12)	11.0	133.80
EAO22	ea (1 Filter)	1.1	15.95
EAO22	ca (Case of 12)	14.0	178.20
EAO23	ea (1 Filter)	0.8	11.50
EAO23	ca (Case of 12)	10.0	128.40
EAO24	ea (1 Filter)	0.6	11.05
EAO24	ca (Case of 12)	8.0	123.60
EAO25	ea (1 Filter)	1.0	10.60
EAO25	ca (Case of 12)	12.0	118.80
EAO26	ea (1 Filter)	1.3	15.95
EAO26	ca (Case of 12)	16.0	178.20
EAO27	ea (1 Filter)	1.1	11.95
EAO27	ca (Case of 12)	13.2	133.80
EAO29	ea (1 Filter)	0.7	11.50
EAO29	ca (Case of 12)	9.0	128.40
EAO30	ea (1 Filter)	1.0	11.50
EAO30	ca (Case of 12)	12.0	128.40
EAO31	ea (1 Filter)	1.0	11.95
EAO31	ca (Case of 12)	12.0	133.80
EAO32	ea (1 Filter)	0.8	10.60
EAO32	ca (Case of 12)	10.0	118.80
EAO33	ea (1 Filter)	0.7	11.05
EAO33	ca (Case of 12)	8.4	123.60
EAO34	ea (1 Filter)	0.8	11.95
EAO34	ca (Case of 12)	10.0	133.80
EAO35	ea (1 Filter)	0.9	11.95
EAO35	ca (Case of 12)	10.8	133.80

EaO Oil Filters (continued)			
Stock No.	Unit of Measure	Wt. Lbs. ea	Commercial Price
EAO36	ea (1 Filter)	0.8	11.50
EAO36	ca (Case of 12)	10.0	128.40
EAO37	ea (1 Filter)	0.7	11.95
EAO37	ca (Case of 12)	8.4	133.80
EAO38	ea (1 Filter)	0.7	11.95
EAO38	ca (Case of 12)	8.4	133.80
EAO39	ea (1 Filter)	1.2	11.95
EAO39	ca (Case of 12)	14.4	133.80
EAO40	ea (1 Filter)	1.0	11.95
EAO40	ca (Case of 12)	12.0	133.80
EAO41	ea (1 Filter)	1.0	11.95
EAO41	ca (Case of 12)	12.0	133.80
EAO42	ea (1 Filter)	1.0	10.60
EAO42	ca (Case of 12)	12.0	118.80
EAO43	ea (1 Filter)	1.0	11.95
EAO43	ca (Case of 12)	12.0	133.80
EAO44	ea (1 Filter)	1.0	11.05
EAO44	ca (Case of 12)	12.0	123.60
EAO45	ea (1 Filter)	1.1	11.95
EAO45	ca (Case of 12)	13.2	133.80
EAO46	ea (1 Filter)	0.7	11.95
EAO46	ca (Case of 12)	8.4	133.80
EAO47	ea (1 Filter)	0.7	15.95
EAO47	ca (Case of 12)	8.4	178.20
EAO52	ea (1 Filter)	1.0	11.95
EAO52	ca (Case of 12)	12.0	133.80
EAO57	ea (1 Filter)	0.7	10.60
EAO57	ca (Case of 12)	9.0	118.80
EAO58	ea (1 Filter)	0.7	11.50
EAO58	ca (Case of 12)	9.0	128.40
EAO59	ea (1 Filter)	0.8	11.05
EAO59	ca (Case of 12)	10.0	123.60
EAO64	ea (1 Filter)	0.6	10.60
EAO64	ca (Case of 12)	8.0	118.80
EAO76	ea (1 Filter)	1.6	15.95
EAO76	ca (Case of 12)	20.0	178.20
EAO80	ea (1 Filter)	2.0	15.75
EAO80	ca (Case of 12)	24.0	175.80
EAO88	ea (1 Filter)	0.5	21.35
EAO88	ca (Case of 12)	6.0	238.80
EAO96	ea (1 Filter)	1.3	11.50
EAO96	ca (Case of 12)	16.0	128.40
EAO99	ea (1 Filter)	2.2	15.95
EAO99	ca (Case of 12)	27.0	178.20

EaAM Motorcycle Air Filters



AMSOIL has brought Nanofiber technology to the motorcycle market. AMSOIL Ea Motorcycle Air Filters hold 15 times more dust than a wet gauze type filter. Their nanofiber media removes 5 times more dust than traditional cellulose filters and 50 times more dust than wet gauze.

Stock No.	Wt. Lbs. ea	Commercial Price
EaAM Motorcycle Air Filters		
EAAM22	1.0	27.10
EAAM23	1.0	26.20
EAAM24	0.4	34.10
EAAM25	1.5	46.90
EAAM26	1.4	57.90
EAAM27	0.8	51.20
EAAM33096	1.1	41.75
EAAM33104	2.0	50.25
EAAM33196	1.1	43.30
EAAM43701	1.3	34.75
EAAM46199	1.4	52.30
EAAM46299	1.4	51.15

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

EaOM Motorcycle Oil Filters

AMSOIL Ea Motorcycle Oil Filters are made with premium-grade full synthetic media. Ea Motorcycle Oil Filters feature advanced full synthetic nanofiber technology, making them the highest efficiency filters available for the motorcycle market.



Stock No.	Wt. Lbs. ea	Commercial Price
-----------	-------------	------------------

EaOM Motorcycle Oil Filters

EaOM102	0.8	8.30
EaOM103	0.6	11.10
EaOM103C	0.6	12.75
EaOM109	0.6	11.55
EaOM109C	0.7	13.20
EaOM122	0.8	11.55
EaOM122C	0.8	12.75
EaOM132	0.7	10.20
EaOM132C	0.7	11.35
EaOM133	1.0	11.10
EaOM133C	1.0	12.75
EaOM134	0.9	10.20
EaOM134C	0.9	11.35
EaOM135	0.9	9.50
EaOM135C	0.9	11.35
EaOM136C	0.9	10.45
EaOM137C	1.0	12.75

Note:
"C" designates that the filter is chrome.



Super Duty Motorcycle Oil Filters

A full-flow filter designed specifically for extended drain intervals and severe service for motorcycle and ATV applications. They provide superior efficiency and greater capacity than other popular filters.

- Use Group 1 For: SMF-104
- Use Group 2 For: SMF-131
- Use Group 3 For: SMF-113, 120, 121, 127

Stock No.	Wt. Lbs. ea	Commercial Price
-----------	-------------	------------------

Super Duty Motorcycle Oil Filters

Group 1	0.3	4.85
Group 2	0.2 - 0.4	5.95
Group 3	0.2 - 0.8	7.35

Power Core Air Filters

AMSOIL offers premium PowerCore® Air Filters for Ford 6.0L and 7.3L PowerStroke™ Diesel, H2 Hummer 6.0L Vortec™ applications, and select John Deere and Freightliner applications.



Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
-----------	----------	-------------	------------------

Donaldson™ PowerCore® Air Filter For Ford 6.0L Diesel PowerStroke™ Applications

P603577	(1) Air Filter	4.8	52.50
---------	----------------	-----	-------

AMSOIL PCF-H2 PowerCore® Air Filter For H2 Hummer 6.0L Vortec™ Applications

PCFH2	(1) Air Filter	2.7	52.50
-------	----------------	-----	-------

7.3L PowerStroke Air Induction System

PCIS73	(1) Air Induction System	14.0	225.00
PCF73	(1) Replacement Filter	2.8	90.70

PowerCore Filter for Freightliner M2

P548070	(1) Primary Air Filter	4.0	62.85
P544432	(1) Secondary Air Filter	0.6	15.95

PowerCore Filter for John Deere 6020 Series

P606121	(1) Primary (AL 150288) Air Filter	1.0	30.80
P606119	(1) Secondary, 4 Cylinder (AL 119839) Air Filter	2.8	62.05
P606120	(1) Secondary, 6 Cylinder (AL 150285) Air Filter	3.8	68.70

Fuel Filter for Ford 6.0 Diesel PowerStroke™ Applications

FFK60	(2) Fuel Filters (Primary & Secondary)	2.0	45.00
-------	--	-----	-------



POD Air Filters

Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
-----------	----------	-------------	------------------

POD	(1) Air Filter	0.4	13.10
-----	----------------	-----	-------

TWIN AIR Power Sports Air Filters

TWIN AIR Power Sports Air Filters offer superior air filtration performance for ATV's and dirt bikes. They are constructed of two layers of open-pore foam to provide maximum filtration and superior air flow. Their exclusively formulated adhesive withstands repeated cleanings, allowing for reapplication of filter oils and years of trouble-free service. The complete Twin Air cleaning products line is also available. For application information, consult www.amsoil.com, and for pricing information consult the G-2093 AMSOIL Filtration Products U.S. Commercial Price List.





By-Pass Oil Filter Units

Engine wear is caused by dirt particles of about 5 microns. The AMSOIL By-Pass Oil Filter removes particles less than one micron or larger, virtually eliminating engine wear. AMSOIL By-Pass Oil Filters filter all of the oil in a six quart system in about five minutes at an average engine speed equivalent to 45 mph.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
By-Pass Filter Mounting Kit			
Without filter element - 1 required. For use with EaBP-90, EaBP-100 or EaBP-110 Element.			
BMK11	(1) Universal Mount	3.8	127.50
Dual-Gard Mount			
Links two AMSOIL By-Pass Filter Elements together for engines with sump capacities greater than 20 quarts. Includes Flow Restrictor without hardware, hoses or filter elements - 2 required. For use with EaBP-90, EaBP-100 or EaBP-110 Element.			
BMK12	(1) Dual Gard Mount	4.8	86.50
Dual Remote Oil Filtration Kit			
Versatile system combines Full-Flow and By-Pass filtration on a single, easy-to-install mount. All installation parts are included. Without filter elements - 2 required. For use with EaBP-90, EaBP-100 or EaBP-110 Element.			
BMK13	(1) Reversible Remote Mount	8.3	148.50
Remote Full-Flow Mount Kit			
Without filter element - 1 full-flow required.			
BMK14	(1) Remote Full-Flow Mount	6.0	133.50
Dual Remote System for Cummins Diesels			
Includes both filters. For applications prior to 2004.			
BMK15Fa	(1) Reversible Remote Mount	11.8	177.75
Dual Remote System for International Diesels			
Includes both filters. Not to be used with 6.0L PowerStroke™ Diesels.			
BMK16Fa	(1) Reversible Remote Mount	12.1	187.75
Dual Remote System for Duramax™ Diesels			
Unit includes one Ea0-26 Filter Element and one EaBP-100 By-Pass Filter Element.			
BMK17Fa	(1) Reversible Remote Mount	12.1	177.75
Marine By-Pass Filtration System			
BMK18	(1) Marine Oil Filtration System	13.0	389.50
BMK-18 Adapters			
BK195	(1) 3/4 x 16" Thread Adapter	0.1	39.50
BK196	(1) 13/16 x 16" Thread Adapter	0.1	39.50
BK197	(1) 18mm x 1.5" Thread Adapter	0.1	39.50
BK198	(1) 20mm x 1.5" Thread Adapter	0.1	39.50
By-Pass Oil Filter Spin-On Replacement Filter Elements			
EaBP90	(1) 6" Filter	2.3	25.35
EaBP100	(1) 8" Filter	2.7	26.50
EaBP110	(1) 10" Filter	3.5	30.45
G2336	(1) EaBP110C Chrome Collector's Series By-Pass Filter	3.5	50.00



BY-PASS UNITS & PRE-CHARGER UNITS

AMS-Oiler™ Pre-Charger Units

The AMS-Oiler™ pre-charger effectively puts an end to dry-engine starting. Motor oil is injected directly on the engine bearings and other wear-sensitive surfaces upon turning the ignition key. Its rugged construction withstands severe service and performs reliably in any personal, commercial or industrial application. Outperforms gas- and air-charge systems. Mechanical life cycle exceeds one million engine starts, with no maintenance required.



Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
AMK-01			
Designed for use with the AMSOIL BMK-13 or 15 through 18 Dual Remote Systems.			
AMK01	(1) By-Pass Pre-Charger	4.3	299.00
AMK-02			
Can be used with any engine application and mounts at any angle.			
AMK02	(1) Stand Alone Pre-Charger	6.2	353.00
AMS-Oiler Replacement Parts			
AMK2729	(1) Wiring Harness with Timer Relay and Sound	0.2	29.75
AMK2852	(1) Coil Assembly	0.3	28.00
BP255	(1) Oil Sampling Banjo Bolt	0.3	10.25

AMSOIL TOLL-FREE ORDERING LINE 1-800-777-7094

By-Pass Oil Filter Replacement Parts and Oil Sending Unit Adapters

These items will be shipped postpaid.

Parts for BMK 11, 12, 13, 14, 15, 16 installations.

No.	Description	Pkg.	Price
BK-203	Mount, Assembly, BMK-11	1	50.70
BP-40	Self-tapping Hollow Bolt	1	3.25
BP-41	Sealing Gasket for Hollow Bolt	1	.75
BP-44	Oil Sending Unit Adapter Kit 1/8" x 28BSP (Most Japanese Cars)	1	11.00
BP-45	Oil Sending Unit Adapter Kit 10mm x 1.0mm (Most European Cars)	1	11.00
BP-67	Oil Sampling Petcock Valve with Street Tee Fitting	1	3.60
BP-89	Return Line Swivel Fitting	1	8.50
BP-207	Hose Fitting, 1/4" for BMK-11	1	8.20
BP-208	Adapter Fitting, 1/8" MNPT to 7/16" -20 JIC, BMK-11	1	1.15
BP-216	Hose, 1/4" for BMK-11		4.10/ft.
BP-241	1/8" NPT - 1/4" JIC fitting	1	6.85
For BMK-13, 14, 15, 16 and 17			
BK-11	90° Fitting (1 long, 1 short) BMK-13, 14, 15 & 16	1	25.00
BK-12	45° Fitting (2 per pkg.) BMK-13, 14, 15, & 16	1	16.65
BK-13	Oil Sampling Petcock Valve BMK-13, 15, & 16	1	8.25
BK-193	Mount, Assembly, BMK-12	1	61.75
BK-204	Mount, Assembly, BMK-14	1	50.70
BK-209	Mount, Assembly, BMK-13, 15 & 16	1	64.60
BP-158	Spin-On Adapter Kit (for BMK-13 & 14) Includes BP-159, 160, 161, 162, 163, 164, 165 & 166	1	20.95
BP-161	O-Ring, Small 2 1/2" (BMK-15)	1	.75
BP-162	O-Ring, Large 3 1/8" I.D. (BMK-13 & 14)	1	.75
BP-176	Spin-On Casting (includes O-Ring) BMK-15	1	17.60
BP-177	Spin-On Casting (includes O-Ring) BMK-16	1	21.90
BP-178	O-Ring, 3 5/8" BMK-16	1	.90
BP-182	Hose Fitting 1/2" BMK-13, 14, 15 & 16	1	3.40
BP-187	Hose Fitting 13/32" BMK-13, 14, 15 & 16	1	7.20
BP-189	Adapter Fitting 1/2" -16 straight to 3/4" -16 JIC BMK-13, 14, 15 & 16	1	2.40
BP-190	Adapter Fitting, 3/8" MNPT to 3/4" -16 JIC BMK-13, 14, 15 & 16	1	1.75
BP-191	3/4" -16 Allen Head Plug with "O" Ring BMK-13, 15 & 16	1	1.80

order online @ www.amsoil.com

No.	Description	Pkg.	Price
For BMK-13, 14, 15, 16 and 17			
BP-194	Mounting Bracket Top BMK-12, 13, 14, 15 & 16	1	6.45
BP-195	Mounting Bracket Bottom BMK-12, 13, 14, 15 & 16	1	5.20
BP-196	Gasket, 2 1/2" BMK-13 & 14	1	.70
BP-201	Adapter Fitting, 1/2" MNPT to 3/4" -16 JIC BMK-15 & 16	1	2.55
BP-202	Restrictor Assembly, .0937" orifice BMK-12	1	7.25
BP-213	Adapter Fitting, 3/4" -16 Straight to 7/16" -20 JIC BMK-12	1	4.40
BP-217	Hose, 13/32" Dia. BMK-13, 14, 15 & 16		4.55/ft.
BP-219	Spin-On Casting (w/O-Ring), BMK-17 See Oil and Air Filter Application Guide (G-3000)	1	17.60
For Installation of BMK-11 on 2003 & later Ford Pickups with 6.0L engines:			
BK-1101	Aluminum billet oil filter cap	1	95.00
BK-1102	Aluminum billet oil fill cap	1	50.00
BP-242	90° JIC Elbow	1	3.50

For Installation of BMK-11 on 2004 & later Dodge Trucks with 5.9L Cummins diesel engines:			
BK-1301	Aluminum billet oil fill cap	1	50.00
BP-242	90° JIC Elbow	1	3.50

For Installation of BMK-11 on GMC Duramax Diesel engines:			
BK-1201	Aluminum oil filter sandwich adapter w/o-ring	1	50.00
BK-1202	Aluminum billet oil fill cap	1	50.00
BP-242	90° JIC Elbow	1	3.50

For BMK-18			
BK-194	Filter Mount Assembly, BMK-18	1	69.60
BP-162	Large "O" Ring (3 1/8" I.D.)	1	0.75
BP-225	Mounting Bracket (Top)	1	7.25
BP-226	Mounting Bracket (Bottom)	1	7.25
BP-228	Allen Head Plug	1	8.60
BP-229	Hose Fitting	1	31.25
BP-230	1/2" I.D. Hose - Sold per foot	1	9.80
BP-231	90-Degree Fitting	1	34.00
BP-232	"O"-Ring Fitting Adapter	1	12.65
BP-239	BMK-18 Installation Instructions	1	1.20
BP-246	"O" Ring for Adapter Nut	1	0.70
BP-304	3/4"-16 Thread Adapter Retaining Nut	1	24.00
BP-305	13/16"-16 Thread Adapter Retaining Nut	1	24.00
BP-306	18 mm x 1.5 Thread Adapter Retaining Nut	1	24.00
BP-307	20 mm x 1.5 Thread Adapter Retaining Nut	1	24.00

BY-PASS FILTRATION PARTS & OIL ANALYSIS OPTIONS

Oil Analysis Options

AMSOIL provides oil analysis service options. By analyzing used engine oil, a qualified lab can detect mechanical problems your engine may have developed.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
TRIGARD Protection Plans			
For personal cars and light duty trucks using AMSOIL 100% synthetic oil; must have AMSOIL synthetic oils, air filter and By-Pass Oil Filter Kit installed to be eligible.			
TRIGARD I			
ATG-01	Initial registration + 2 analysis	0.6	29.25
TRIGARD II			
ATG-02	Continue with 2 subsequent analysis	0.6	29.25

Oil Analyzers, Inc. Sample Kits with Complete Analysis

-Includes two-way postage-			
G-1451	(1) Sample Kit (U.S. Postal Service)	0.1	21.00
G-1451U	(1) Sample Kit (with UPS Return Label)	0.1	21.50
G-1454	(50) Sample Kits	0.1	1,025.00
G-1455	(100) Sample Kits	0.1	2,000.00

Oil Analyzers, Inc. Sample Kits with Complete Analysis

-Not postage paid-			
G-1318	(1) Sample Kit	0.1	15.85
G-1321	(50) Sample Kits	0.1	762.50
G-1322	(100) Sample Kits	0.1	1,475.00

Accessories

G-1206	Oil Suction Pump w/10-ft. hose	0.1	25.00
G-1571	Replacement Hose 25-ft.	0.1	7.95

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.



P.I. Performance Improver Gasoline Additive

Improves fuel mileage an average of 2.3% and up to 5.7%. Reduces emissions such as hydrocarbons (HC) up to 15%, carbon monoxide (CO) up to 26% and nitrous oxides (NOx) up to 17%. Restores power and performance. Reduces the need for costly higher octane fuel. Reduces noise from carbon rap and pre-ignition. Offers better vehicle drivability and smoother operation.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
P.I. Performance Improver Gasoline Additive				
APICN	ea	(1) 12-oz. Bottle**	0.9	6.85
APICN	ca	Case of (12) 12-oz. Bottles**	11.2	74.40



Gasoline Stabilizer

Reduces the oxidation process that occurs when fuel is stored for extended periods to prevents the formation of varnish and sludge which can clog injectors, stick floats and cause poor engine performance. Ideal for stored seasonal equipment such as snowmobiles, lawnmowers, motorcycles and boats.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Gasoline Stabilizer				
ASTBF	ea	(1) 16-oz. Bottle**	1.1	6.70
ASTBF	ca	Case of (6) 16-oz. Bottles**	6.5	38.10



Diesel Concentrate

A total system cleaner and lubricity improver for all types of diesel engines. Improves the performance, fuel efficiency and longevity of diesel engines while reducing deposits, black smoke and emissions. Improves fuel economy by cleaning dirty injectors and restores horsepower. Designed for use in heavy-duty diesel engines.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Diesel Fuel Additive Concentrate				
For Heavy-Duty Diesel Engines.				
ADFCN	ea	(1) 16-oz. Bottle**	1.2	5.00
ADFCN	ca	Case of (12) 16-oz. Bottles**	14.0	52.80
ADF05		5 Gallon Pail**	39.7	123.25
ADF55		55 Gallon Drum**	441.9	1,199.00



Cold Flow Improver

To be added to Diesel Fuel Additive Concentrate to improve cold weather performance in applications below 40°F. Lowers the cold filter plugging point by as much as 20°F and decreases the need for #1 diesel fuel that is diluted with kerosene. Contains jet fuel-type deicer to help prevent ice formation in fuels that are contaminated with water.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Cold Flow Improver				
DFFCN	ea	(1) 16-oz. Bottle**	1.2	5.10
DFFCN	ca	Case of (12) 16-oz. Bottles**	14.2	54.00
DFF05		5 Gallon Pail**	40.2	122.50
DFF55		55 Gallon Drum**	446.9	1,221.00



Cetane Boost Diesel Fuel Additive

Improves combustion efficiency to increase power in diesel engines. Raises cetane three to seven numbers. Also improves low-temperature starting, fuel ignition quality and reliability. Treats up to 200 gallons. For use in any diesel-fueled engine.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Cetane Boost Diesel Fuel Additive				
ACBCN	ea	(1) 16-oz. Bottle**	1.3	5.70
ACBCN	ca	Case of (12) 16-oz. Bottles**	15.5	62.40
ACB05		5 Gallon Pail**	43.3	140.00
ACB55		55 Gallon Drum**	481.3	1,408.00



Series 2000 Octane Boost

Maximizes power and improves performance in all two-cycle and four-cycle gasoline engines. Increases octane number up to seven points. Reduces engine knock, improves ignition and engine response, helps fuel burn cleaner and inhibits corrosion. Recommended for off-road and racing use.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Octane Boost				
For All Gasoline Engines.				
AOBBE	ea	(1) 12-oz. Bottle**	0.8	7.20
AOBBE	ca	(6) 12-oz. Bottles**	4.7	41.10

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

Engine Fogging Oil



A highly effective rust preventative designed to protect internal engine components during storage or long periods of inactivity. Ideal for outboard motors, lawn and garden equipment, motorcycles, snowmobiles, ATV's, motor homes and generators or any equipment with a two or four-stroke engine.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Engine Fogging Oil				
FOGSC	ea	(1) 12-oz. Aerosol Can	0.8	4.30
FOGSC	ca	Case of (6) 12-oz. Cans	5.0	24.30

MP Metal Protector



Displaces water and protects metal surfaces from rust and corrosion. Provides a light film that prevents metal-to-metal contact. Excellent for use on guns, hinges, squeaky mechanical objects, electrical systems and more. Penetrates existing rust buildup. Also dries wet electrical systems.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
MP Metal Protector				
AMPSC	ea	(1) 8.75 Fluid-oz. Can**	0.8	3.35
AMPSC	ca	Case of (12) 8.75-oz. Cans**	10.0	37.80
AMP30		30 Gallon Drum**	227.5	478.00
AMP55		55 Gallon Drum**	407.3	843.00

MP Heavy Duty Metal Protector



A heavy-duty spray lubricant fortified with special rust and corrosion inhibitors. Penetrates and adheres to metal surfaces, leaving a long-lasting protective coating. Apply MPHD to any metal surface that requires a heavy-duty lubricant or is exposed to the damaging effects of salt, moisture or chemical corrosion. Works as an undercoat, leaving a wax-like film. Recommended for motorcycle chains. Won't "sling-off". Dry to the touch. Does not attract dust.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
MPHD Metal Protector				
AMHSC	ea	(1) 16 Fluid-oz. Can**	1.4	4.70
AMHSC	ca	Case of (12) 16-oz. Cans**	16.8	49.80

Silicone Spray



Perfect for lubricating nonmetal surfaces that contact metal such as nylon, cardboard, fiberglass, wood or plastic surfaces. Special non-staining formula. USDA H-1 rated for incidental contact with food. Excellent for waterproofing leather boots, shoes, jackets, suede etc.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Silicone Spray				
ALSSC	ea	(1) 10 Fluid-oz. Can**	0.9	4.80
ALSSC	ca	Case of (6) 10-oz. Cans**	5.6	27.30

Power Foam



Improves starting and performance. Cleans dirty intake systems and spark plugs and frees sticky valves. Also removes gum, varnish and carbon deposits from engine exterior surfaces. Recommended for carburetors and fuel injectors. Works inside and outside the engine.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Power Foam Engine Cleaner & Degreaser				
APFSC	ea	(1) 18 Fluid-oz. Can**	1.5	3.95
APFSC	ca	Case of (12) 18-oz. Cans**	18.0	41.40

Engine Flush



Cleans the crankcase, upper end and other lubricated engine areas for maximum efficiency and performance. Prep engines for installation of AMSOIL synthetic motor oil. Flushing requires one can per 5 quarts of sump capacity.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Engine Flush				
AFFCN	ea	(1) 16-oz. Bottle**	1.1	4.10
AFFCN	ca	Case of (12) 16-oz. Bottles**	13.7	43.20
AFF05		(1) 5 Gallon Pail**	45.0	79.75

Propylene Glycol Antifreeze and Engine Coolant



Super long life fluid - 750,000 miles/7 Years of service in over the road trucks and 250,000 miles/7 Year service life in light truck and auto applications. Compatible with all the major brands of anti-freeze. Essentially nontoxic and biodegradable. Provides superior performance in all climates. Contains special corrosion inhibitors and antifoam agents.

Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Propylene Glycol Antifreeze and Engine Coolant				
ANT1G	ea	(1) Gallon Bottle	9.8	20.20
ANT1G	ca	Case of (04) Gallons	39.0	76.80
ANT55		55 Gallon Drum*	536.0	992.00
G1165		(6) Antifreeze Test Strips	0.1	1.95
G1164		(50) Antifreeze Test Strips	0.1	6.60

Pricing subject to change based on propylene glycol market pricing.

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

BriteSide Heavy-Duty Scrub Hand Cleaner

Formulated for the toughest cleaning jobs. Chemically engineered to cut through grease, oil and dirt without the use of pumice and without the need for rinsing with water.



Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
BriteSide Heavy-Duty Scrub Hand Cleaner				
BSHBF	ea	(1) 16-oz. Bottle	1.0	5.80
BSHBF	ca	Case of (6) 16-oz. Bottles	6.0	31.70
BSH1G	ea	(1) Gallon Bottle	9.0	20.95
BSH1G	ca	Case of (4) Gallons	36.0	73.80
G1788		(24) 10-ml. Sample Packets	0.1	11.25
G1806		(1) Gallon Bottle Pump	0.2	1.75
G1818		(1) Wall Mount Bracket	0.1	18.50

BriteSide Scrub with Pumice

Works just like original Scrub when it comes to cleaning - with the added power of pumice. Cuts through grease, oil and dirt. Specially designed Scrub container is self-dispensing. Use with or without a water rinse.



Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
BriteSide Scrub with Pumice				
BHPTB	ea	(1) 48-oz. Tub	3.0	11.10
BHPTB	ca	Case of (6) 48-oz. Tubs	18.0	59.10

Rain Clear Windshield Protectant

Maximize visibility in all kinds of weather. Rain, snow and sleet are repelled off of glass. The wind while driving forces moisture off of the windshield, giving a clear view of the road ahead.



Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Rain Clear Windshield Protectant				
ARSBA	ea	(1) 4-oz. Bottle	0.3	3.45
ARSBA	ca	Case of (4) 4-oz. Bottles	1.2	13.80
ARSBA	pk	Pack of (24) 4-oz. Bottles	7.5	78.00

BriteSide T⁶ Cleaning Concentrate

Revolutionary formula tackles the toughest cleaning jobs at full strength, and can also be diluted for safe use on even the most sensitive materials. Super-concentrated formula can be diluted to perform hundreds of household and commercial tasks. Spray bottles and dilution syringe also available.



Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
BriteSide T⁶ Cleaning Concentrate				
BT6HG	ea	(1) 64-oz. Bottle	4.7	15.90
BT6HG	ca	Case of (6) 64-oz. Bottles	29.7	85.50
BT605		(1) 5-Gallon Pail	40.2	89.00
BT655		55 Gallon Drum*	432.0	881.00
G1782		(1) 24-oz. Spray Bottle	0.1	1.50
G1783		(1) 2-oz. Transfer Syringe	0.1	0.80

Miracle Wash Waterless Wash and Polish Spray

This unique dry car wash and polish delivers outstanding performance and quick, easy and economical spray application. No water required. It's simply the fastest way to clean your vehicle.



Stock No.	Unit of Measure	Pkg/Size	Wt. Lbs. ea	Commercial Price
Miracle Wash Waterless Wash and Polish Spray				
AMWSC	ea	(1) 13-oz. Spray Can**	1.0	6.55
AMWSC	ca	Case of (6) 13-oz. Cans**	6.0	31.20
AMWQT	ea	(1) Quart Bottle	2.0	12.60
AMWQT	ca	Case of (4) Quart Bottles	9.0	40.40

* Not stocked in all Distribution Centers. Call for availability.

** Product cannot be shipped air freight or parcel post.

Filter Wrenches

Large Spider Filter Wrench



Adjustable filter wrench that has three clamping legs driven by a gear mechanism for maximum range and gripping ability. For auto and light truck applications. Range: 2 3/8" to 4 3/4" (61mm to 121mm)

Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
G2197	(1) Lrg Spider Wrench	1.3	11.50

Small Spider Filter Wrench

Adjustable filter wrench that has three clamping legs driven by a gear mechanism for maximum range and gripping ability. For auto and motorcycle applications in hard to get at locations. Range: 2 3/8" to 3 3/4" (61mm to 95mm)

Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
G2198	(1) Sml Spider Wrench	0.8	6.75

Strap Filter Wrench

Wide band tightens while you turn. Offers the widest range of any wrench. For all filters. Range: Up to 6" (152mm)

Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
G2199	(1) Strap Wrench	0.5	3.90

Mechanics Lube Kit

Contains the most critical tools for complete lube service for most makes and models. Includes tools for foreign and domestic servicing. Each kit contains: (13) Cap-type wrenches, (2) Hex cap socket wrenches, (2) Swivel-type filter wrenches, (1) Strap wrench, (1) Small spider wrench, (1) Adjustable plier-type wrench, (6) Drain plug wrenches, (2) Metric square plug wrenches, (3) Metric hex drain plug wrenches, (1) 12 point x 16mm drain plug wrench, (1) Low profile T45 Torx oil filter tool

Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
G2200	(1) Mechanics Lube Kit	15.0	150.00

Filter Cap Wrench

Designed for Harley-Davidson and BMW motorcycle oil filter applications and can be used to install and remove the following AMSOIL Ea Motorcycle Oil Filters: EaOM122/122C, EaOM132/132C, EaOM133/133C, EaOM134/134C, EaOM135/135C, EaOM136C

Stock No.	Wt. Lbs. ea	Commercial Price
G-2309	0.8	1.90

BP-110 Cut-Away Demo

Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
G2204	(1) BP-110 Cut-Away Demo	3.0	35.00

EaO Cut-Away Demo

EaO Filter Cut-a-Way

This Cut-a-Way filter is ideal for demonstrating the superior quality and construction of the AMSOIL EaO oil filter.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
G2196	(1) Filter Cut-a-Way	1.0	35.00

Oil Fill Hand Pump

Specifically designed to fit AMSOIL quart, gallon and Twin Pack bottles. Guarantees efficient, quick dispensing of AMSOIL gear oils, transmission fluids and any oil that may need to be pumped. Great for fluid fills in differentials, transmissions, transaxles, boat lower units and boat sterndrives.

Stock No.	Pkg/Size	Wt. Lbs. ea	Commercial Price
G2039	(1) Hand Pump	1.0	9.95

MOTHERS®
Polishes•Waxes•Cleaners



Mother's Car Care Appearance Products

Regular washing and waxing can easily make the difference between a long lasting, luminous glow, or a dull, dumpy finish. Proper vehicle maintenance involves cleaning paint and keeping it clean, which is a much smarter choice in the long run than trying to repair distressed, damaged paint. Mothers® offers a unique and wide product line that includes everything needed to clean, polish and care for vehicles. For application information consult www.amsoil.com, and for pricing information consult the G-2093 AMSOIL-Mother's Products U.S. Commercial Price List.

TRICO Wiper Blade Products



AMSOIL carries five different lines of TRICO wiper blades: Exact Fit, NeoForm, Oktane, Winter and Classic. TRICO is committed to providing the broadest line of wiper products at the highest level of quality for automotive original equipment manufacturers and the aftermarket. Drivers around the world depend on TRICO wiper blades. Their innovative design, quality production and superior performance make TRICO a perfect complement to AMSOIL and AMSOIL products. For application information consult www.amsoil.com, and for pricing information consult the G-2347 TRICO Wiper Blade Products U.S. Commercial Price List.

NGK Spark Plug and Plug Wire Products



NGK is the world leader in spark plugs and plug wires for both original equipment manufacturers (OEM) and the aftermarket. AMSOIL offers NGK spark plugs and plug wires for auto/light truck, powersports, auto racing and small engine applications. For application information, consult www.amsoil.com, and for pricing information consult the G-2413 NGK Products U.S. Commercial Price List.



Online Ordering Information

To order product online at www.amsoil.com:

Click on the Commercial Account Zone link at the top right of the AMSOIL Home Page. Enter your account number and your password to enter. If you have not set up a password, click on the "New Registration" link at the bottom of the log-in area. Enter your account number and click "Submit" and a link will be emailed to you that allows you to set a password. Once inside the Commercial Account Zone, you can choose to use the Account Orders link which takes you to our EZ Online Order Forms, or choose the Online Store link to browse through products.

Sales Tax Information

AMSOIL INC. implemented a software package called Vertex in February 2002. When you place an order that is shipped to the mailing address contained in our data base, Vertex charges the tax rate for your location based on the state, city and county of your address. If you have your order shipped to a different address, AMSOIL INC. will charge the highest rate (including state and applicable local rates) for that state to prevent underpayment of taxes in that area.

AMSOIL INC. is registered to collect sales tax in each state where applicable.

Customers' sales tax will be calculated on the purchase price of the product(s).

Tax Rate Determination

The sales tax rates are set in the following manner:

1. If you pick up your order at your Distribution Center, you will be charged the applicable sales tax **at that point of sale**. This is the prevailing tax rate at your Distribution Center.
2. If you have the order **shipped**, sales tax will be charged at the rate applicable to the ship-to address with the **exception** of orders being shipped **within** one of the following states: **Illinois, Ohio, Pennsylvania, Texas and Virginia**. Orders shipped **within the boundaries** of one of these states will be charged the tax rate applicable to the Distribution Center that the product was shipped from.

Incorrect tax Rates

If you have been charged an incorrect tax rate on your orders, you will need to do the following:

1. Obtain documentation from your local tax authority, referencing the full physical address on file with AMSOIL INC. which states the proper tax rate for your address.
2. Please mail this documentation to the following address:

AMSOIL INC.
Attention: Sales Tax Department
925 Tower Avenue
Superior, WI 54880

Please allow time for processing this rate change. Tax rate changes will be verified via a written notice from AMSOIL INC.

Please remember that when you ship to a different address other than the one AMSOIL INC. retains on file, you will be charged the highest rate in the state. To recover the sales tax difference when you resale product in a lower sales tax area, you will need to do the following:

1. To apply for a refund of the unrecovered portion of the sales tax, obtain a "Sales Tax Refund Form". Remit this signed form along with the sales receipt copies from the sale in the lower tax area.
2. You can also deduct unrecovered portions of sales tax on your Federal Income Tax return on Schedule "C".

Exemption Certificates

If you prefer to pay the sales tax directly to your state revenue department rather than having AMSOIL INC. collect it at the time you purchase the products, contact your state for a Tax Exemption Certificate.

When you obtain this certificate, send a copy of it to AMSOIL INC. along with a signed G-495 Uniform Sales & Use Tax Certificate (available at no charge from AMSOIL INC.). Once we have these certificates on file, your purchases will be tax exempt. Please mail the documentation to the address listed for incorrect tax rates.

Unfortunately, we are not allowed to exempt sales tax payments unless we have copies of these certificates on file, so be sure to send them in before claiming any sales tax exemptions. When we receive your certificates, we will be able to credit you for any sales taxes you have paid as far back as three months or the effective date on your Sales Tax Exemption Certificate if it is less than three months from the day we receive your information.

This procedure is also necessary for any institutions, businesses or government agencies claiming sales tax exemptions.

Exempt Products or Freight

Clothing Items are exempt from sales tax in the following states:

Connecticut	- Purchases less than \$75.00 are exempt
Massachusetts	- Purchases less than \$175.00 are exempt
Minnesota	- Total purchase exempt
New Jersey	- Total purchase exempt
New York	- Purchases less than \$110.00 are exempt
Pennsylvania	- Total purchase exempt
Rhode Island	- Total purchase exempt
Vermont	- Purchases less than \$110.00 are exempt

Vitamins are exempt from sales tax in the following states:

Connecticut	Florida	Maryland	Michigan
New Jersey	New York	Pennsylvania	Texas
Vermont			

Freight charges, when shipped by common carrier, are exempt from sales tax in the following states:

Alabama	Arizona	California	Idaho
Illinois	Indiana	Iowa	Kentucky
Louisiana	Maine	Maryland	Massachusetts
Michigan	Minnesota	Missouri	New Jersey
North Dakota	Ohio	Oklahoma	Rhode Island
South Carolina	Tennessee	Utah	Vermont
Virginia	Wyoming	District of Columbia	

Sales Tax Table as of August 1, 2005

AMSOIL charges the actual tax rate based upon your ship-to location. The following Sales Taxes are the highest collected by AMSOIL on purchases made by Dealers and Accounts in these states:

Alabama4%	Maine5%	Pennsylvania6%
Arizona6.3%	Maryland5%	Rhode Island7%
Arkansas10%	Massachusetts5%	South Carolina5%
California8.75%	Michigan6%	South Dakota6%
Colorado4.1%	Minnesota6.5%	Tennessee9.75%
Connecticut6%	Mississippi7%	Texas8%
Florida6.5%	Missouri7.616%	Utah7%
Georgia7%	Nebraska5.5%	Vermont6%
Hawaii4.5%	Nevada7.5%	Virginia5%
Idaho5%	New Jersey6%	Washington8.5%
Illinois8%	New Mexico5%	Washington D.C. .5.75%
Indiana6%	New York8.375%	West Virginia6%
Iowa5%	North Carolina7%	Wisconsin5.5%
Kansas6.3%	North Dakota5%	Wyoming6%
Kentucky6%	Ohio8%	
Louisiana4%	Oklahoma10.5%	

Special Taxes

The following information applies to the states listed above in **bold print** that have excise taxes or other special taxes. Remember to add the excise taxes to the product total before figuring your sales tax. The excise taxes are not exempt from state sales tax.

Alabama:

- There is a 4% sales tax charged on air oil filters, mounting kits, fuel additives, metal protector, power foam and car care products.
- There is a \$0.06 per gallon excise tax charged on shock therapy oil, natural gas engine oil, gear lube, chaincase lubricant, transmission fluid, bar and chain oil, grease, hydraulic oil, chain and gear oil, compressor oil and foam filter oil.
- There is a \$0.06 per gallon excise tax plus a \$0.15 per gallon inspection fee on engine oil, diesel oil and two-cycle oil.

California:

- Effective October 1, 1992 there is a \$0.16 per gallon tax on all lubricating oil except differential additives, chaincase lubricant, two-cycle oils, bar and chain oil, grease, hydraulic oil, chain and gear oil and compressor oil.

Connecticut:

- Effective February 1, 1997 there is a 5% "Petroleum Tax" on all AMSOIL products except air filters, oil filters, by-pass oil filters, dual-remote oil filtration kits, BP parts, oil analysis kits, antifreeze, car cleaning products and fuel/water separators.

Hawaii:

- Accounts or Dealers with a tax exemption must pay 0.5% on product total.
- Accounts or Dealers without a tax exemption must pay 4.5% on product total.

Rhode Island:

- There is a \$0.10 per gallon tax on the ANT series.
- There is a \$0.05 per quart tax on the following lubricating oils: engine oil, diesel oil, gear lube, chaincase lubricant, transmission fluid, two-cycle oil, bar and chain oil, hydraulic oil, chain and gear oil and compressor oil.
- There is a \$0.0025 per gallon tax on products that contain organic solvents. These products include: two-cycle oil, gasoline additive, gasoline stabilizer, diesel fuel additive, diesel fuel modifier, series 2000 octane boost, home heating fuel extender, metal protector, silicon spray, power foam and engine flush.

Texas:

- there is a \$0.01 per quart tax on automotive oils. This includes: engine oil, diesel oil, gear lubes, transmission fluid and hydraulic/transmission fluid.

Utah:

- There is a \$0.04 per quart lubricating oil fee pertaining to all containers except those 55 Gallon or bigger on the following lubricants: engine oil, diesel oil, shock therapy oil, gear lube, hydraulic oil, chain and gear oil and compressor oil.

Freight and Handling Information

Freight and Handling Charges

You may order products shipped freight collect OR pre-pay the freight using the freight schedule on page 2.

The freight schedule on page 2 applies on shipments to any point in the contiguous United States on products stocked in Regional Distribution Centers.

FREIGHT DISCOUNT SCHEDULE

AMSOIL INC. offers freight bill discounts based on the order total provided that the order is shipped to one destination. This discount is calculated on the total of the order before taxes, discounts or any miscellaneous charges are applied.

- **Full freight is payed if the order totals \$8,000.00 or more.**
- **One half freight is payed if the order totals \$4,000.00 to \$7, 999.99.**

Third party billing is allowed. When third party billing is requested, the UPS account number of the third party must be supplied at the time of order placement. Parcel Post shipments to military P. O. Boxes will be charged actual freight charges.

Additional Delivery Fees

Carriers may charge an additional fee for delivery to a residence. The consignee pays any ADDITIONAL freight charges in these states. Allow a possible 2-3 days more for rural delivery. Some LTL carriers charge a fee when customers request a call before delivery or lift gate service. The consignee pays for this additional service.

Pick-Up Orders

It is advisable to call a Distribution Center before travelling a great distance to pick up a product. **All orders scheduled for "Pick-Up" must be picked up within 5 days of the date of the order.**

Routing

You may include specific routing instructions with your order. However, because the pre-paid freight schedule is based on using the most economical method of transportation, the final decision on routing pre-paid freight orders rests with the Distribution Center Manager. If you need a specific routing guarantee, specify that your order be shipped "Freight Collect". However, UPS and Parcel Post shipments **cannot** be shipped "Freight Collect", so actual freight will be charged. We recommend you search for the best rates to your location and specify "Freight Collect" for larger shipments.

Please contact your nearest AMSOIL Distribution Center for details when requesting air freight, expedited freight, LTL services or Saturday deliveries. Actual freight charges will apply in these situations, so be sure to ask for estimated delivery times via each shipping method and estimated costs to make your best routing decisions.

Expediting and Tracing

If you have not received your order in 5 to 7 days (add 2 days in the Southeast and Northwest), contact the Distribution Center from which your order was shipped. Be prepared to furnish the following information:

1. Order date.
2. Ordering Account's name and Account number.
3. Order number (if known).
4. To whom the product was shipped with an address. AMSOIL INC. will notify you of the method of shipment, date of shipment and present location as soon as possible.

AMSOIL DISTRIBUTION CENTERS

Location	Hours	Phone and FAX #
Anchorage, Alaska 3020 North Glenn Highway Palmer, AK 99645	C	907-745-3542 FAX: 907-746-6265
Chicago, Illinois 831 Central Avenue Wood Dale, IL 60191	A	630-595-8385 FAX: 630-595-4601
Columbus, Ohio 707 Hadley Drive Columbus, OH 43228	A	614-274-9851 FAX: 614-274-9852
Dallas, Texas 2232 Commerce Drive Arlington, TX 76011	A	817-640-9923 FAX: 817-633-5160
Lancaster, Pennsylvania 1828 William Penn Way Lancaster, PA 17601	A	717-396-0403 FAX: 717-396-0419
Las Vegas, Nevada 4545 North Lamb Blvd, Suite C Las Vegas, NV 89115	A	702-644-2060 FAX: 702-644-2228
Orlando, Florida 3071 North Orange Blossom Trail Unit K. Orlando, FL 32804	A	407-296-4060 FAX: 407-296-8020
Portland, Oregon 18379 Southwest Boones Ferry Road Building A. Portland, OR 97224	A	503-620-5213 FAX: 503-968-2878
Richmond Virginia 530 Eastpark Court Suites C & D Sandston, VA 23150	A	804-328-2820 FAX: 804-328-2827
Superior, Wisconsin 1101 Susquehanna Avenue Superior, WI 54880 Toll Free Ordering Hotline-	B	715-395-0437 FAX: 715-395-0432 LITERATURE: 715-395-0439 1-800-777-7094
Wichita Kansas 3800 West 29th Street South Suite #5 Wichita, KS 67217	A	316-943-5858 FAX: 316-943-3842
Hours		
A - Monday, Tuesday, Wednesday, Friday9 am - 5:30 pm	
ThursdayNoon - 8:30 pm	
Saturday, Sunday and Statutory HolidaysClosed	
B - Monday through Friday8 am - 4:30 pm	
Thursday8 am - 8:30 pm	
Saturday, Sunday and Statutory HolidaysClosed	
C - Tuesday through Saturday9 am - 5:30 pm	
Sunday, Monday and Statutory HolidaysClosed	

Shortages

On shipments with shortages, please note the number of pieces short on the delivery receipt and sign it. Then call the delivering carrier's office and report your shortage. If these efforts fail to complete your shipment within 10 days of receipt, contact your AMSOIL Distribution Center and request assistance.

Overages

On shipments with overages, please note the number of pieces short on the delivery receipt and sign it. Then contact your AMSOIL Distribution Center and request assistance.

Limited Distribution

Every Distribution Center does not carry a complete inventory of the products listed on this price list. When there is a substantial repeat order for a product not carried by your Distribution Center, please discuss it with the Distribution Center Manager.

Claims and Damaged Shipments

(NOTE: Claims must be made within 7 days from the time of receipt)

Items Picked Up at a Distribution Center

If you pick up an order at any Distribution Center and discover concealed damage when the product is opened, return the damaged product to the same Distribution Center for exchange at your convenience. Your copy of the invoice or packing slip should accompany such an exchange. The exchange can only be made for exactly the same products.

Parcel Post Shipments from a Distribution Center

1. Claims for damages by Parcel Post must be filed by the Account.
2. Return damaged merchandise and cartons to the local post office when the claim is filed.
3. All claims are returned to the shipper for verification of mailing date and distributor cost of the damaged items.
4. If reimbursement is made to AMSOIL INC. as the shipper, we will replace the shipment to the Account at a no-charge basis.
5. You can also accept reimbursement on your claim. If so, you must place a re-order with the AMSOIL Distribution Center for replacement of your damaged products.

-Please note that some items listed in the Price List cannot be shipped via Parcel Post-

United Parcel Service (UPS) Shipments

Please inspect the shipment before signing for delivery.

When there is visible damage, refuse to accept delivery. UPS will return the damaged goods to the Distribution Center, and the Distribution Center will re-ship your order. If UPS delivers a package without a signature and you discover damaged goods inside, contact your local UPS office and refuse the shipment due to damage. When there is concealed damage discovered after you accept delivery, contact the Distribution Center for instructions immediately. **NOTE: If you accept delivery of visibly damaged merchandise, you accept all responsibility for filing claims with UPS.**

Other Shipments (LTL or Common Carrier)

1. When damaged goods are received, have the driver make note of the damage on the delivery receipt before you sign it.
2. Call the carrier's local office and request an inspection of the damaged goods.
3. File a claim with the carrier for the Dealer's cost of the merchandise.
4. Damage claims **must** be filed within 7 days. The sooner you file, the better.
5. Unlike UPS shipments, **you should never refuse a damaged shipment when the products are delivered via a commercial carrier (trucklines).** To do so will cost you freight both ways!

Lift Gate Service (LTL or Common Carriers)

Customers can request lift gate service at the time of ordering if they do not have a method of unloading large orders, 30 and 55 gallon drums or totes. Not all carriers offer this service, so when requesting it please allow additional time for delivery. If lift gate service is requested, the consignee pays all costs for the additional service and will be charged the actual cost. Because these costs can vary depending upon the carrier used, it is recommended prior to placing the order to contact the Distribution Center from where the order is being shipped to obtain these costs.

Call Before Delivery Requests (LTL or Common Carriers)

At the time of order, customers can request to be contacted prior to delivery. A daytime phone number must be provided, with instructions to call before delivery. The carrier will contact the customer prior to delivery to set up a delivery time. If this service is requested, the consignee pays all costs for the additional service and will be charged the actual cost. Because costs can vary depending upon the carrier used, it is recommended prior to placing the order to contact the Distribution Center from where the order is being shipped to obtain these costs.

ANY OTHER REQUESTS FOR SPECIAL SERVICES WILL BE CHARGED TO THE CONSIGNEE AT ACTUAL COSTS.

Shipping to APO and FPO Military Post Boxes

All APO/FPO orders are shipped from the Distribution Center in Superior, WI. The United States Postal Service (USPS) will not accept AMSOIL Fuel Additives or Aerosol containers for shipment, or any product marked with "***" in this price list. Your order will be charged actual freight costs which will be charged at the time the order is shipped. If you require insurance on your order, please specify so at the time you place your order. These additional charges will be applied at the time of shipping.

Delays and Special Circumstances when Shipping to APO/FPO Addresses

Due to the challenging nature of distributing packages to these addresses, delays may be experienced which are beyond the control of AMSOIL INC. We will ship your order with tracking information requested and/or a signature required for delivery.

Delays can be expected from time to time due to airline and customs inspections. AMSOIL will make every attempt to ship and track these orders to our military customers. However, once APO/FPO orders have been tendered for shipment to the USPS, AMSOIL loses control of routing and may or may not be notified of damages or non-deliveries. Customs may refuse and/or destroy shipments **at their discretion.**

AMSOIL CANNOT BE HELD RESPONSIBLE FOR THIS DECISION AND CANNOT REPLACE DESTROYED ORDERS.

AMSOIL Literature Items for Additional Product Lines

AMSOIL/DONALDSON/WIX FILTRATION PRODUCTS & TWIN AIR POWER SPORTS AIR FILTERSG-2093
AMSOIL/MOTHER'S APPEARANCE PRODUCTSG-2290
AMSOIL/TRICO WIPER BLADE PRODUCTSG-2347
AMSOIL/NGK SPARK PLUGS AND WIRESG-2413
POWERSPORTS APPLICATION GUIDEG-2135

Back Orders and Invoices

Some orders may require multiple shipments due to products placed on a back order status. Such back ordered items will be shipped separately. This is also true for items that are not stocked at all distribution centers. These items may also be shipped from an alternate distribution center.

In such situations, each shipment will receive a separate invoice and credit card charge. Credit cards will not be charged until items ship. Although separate invoices are issued, totals for freight charges, taxes and discounts are calculated based upon the whole order.

Back orders receive priority status and will be shipped as soon as they become available. When items on an order are in back order status and the order is to be picked up at a distribution center, the back ordered items can be shipped to a destination of your choosing at the actual freight charge. Questions regarding the status of back ordered items should be directed to the appropriate distribution center manager.

Choosing Your AMSOIL Products

AMSOIL ONLINE APPLICATION GUIDES

The AMSOIL Online Product Application Guides are a quick and reliable way to determine which AMSOIL lubricants, filtration products and accessories to purchase for your automotive, heavy duty, motorcycle and powersports applications. Just click on the "Online Product Application Guide" button on the AMSOIL Home Page and enter the information for your application in the fields provided.

AMSOIL TECHNICAL SERVICES

The AMSOIL Technical Services Department is available to assist in the selection and application of AMSOIL products. To assist the processing of your inquiry, please have your specific application information ready to relay to the Technical Services staff, and be prepared to answer questions regarding your individual application needs. Telephone the AMSOIL Technical Services Department at 715-399-TECH (399-8324) and ask for the technical services department.

NOTES

Blank area for notes with horizontal lines.

Product Return/Exchange Guidelines**Commercial/Retail Account Return/Exchange Guidelines****Products for Return**

- Must be currently marketed products in resalable condition.
- Product may be returned for a full refund if returned within 30 days of purchase with no restocking fee. Product returned after 30 days is subject to a 20 percent restocking fee.
- Products will be returned to the nearest Distribution Center at the Account's expense, along with a copy of the original order.
- Special order items cannot be returned.
- All product returns result in an adjustment to earnings for the Servicing Dealer,

Products for Exchange

- Must be currently marketed products in resalable condition.
- Products received in exchange must be of equal or greater value than those returned (no commission credits or cash commissions are paid on product exchanges).
- Product exchanged after 30 days is subject to a 20 percent restocking fee.
- Products to be exchanged will be returned to the nearest Distribution Center at the Account's expense, along with a copy of the original order.
- Special order items cannot be returned.

Products Returned for Credit

- Must be currently marketed products in resalable condition.
- Returns for credit must be arranged through the Sales Department in Superior.
- Products returned for credit within 30 days of purchase will receive full credit for product and taxes (no credit will be issued for freight charges).
- Products returned after 30 days will be subject to a 20 percent restocking fee payable by the account (no credit will be issued for freight charges).

The Distribution Center Manager will make the final determination regarding the condition and acceptance of all products considered for a return or exchange.

In situations where products do not meet the return/exchange guidelines, the customer will be contacted for disposition or return of any non-compliant products. In these cases, the customer is also responsible for return freight costs.